



Fig. 1

- R E -

ART. 600

Curva a 90° M.F.
Galvanised cast iron M.F. bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020107	3/8"	10	150	2,16
1020108	1/2"	10	100	1,95
1020109	3/4"	10	60	3,40
1020110	1"	10	70	4,60
1020111	1"1/4	10	30	7,95
1020112	1"1/2	10	24	10,50
1020113	2"	5	15	16,90
1020114	2"1/2	2	4	38,00
1020115	3"	1	4	48,75
1020117	4"	1	2	88,50



Fig. 41

- R E -

ART. 606

Curva a 45° F.F.
Galvanised cast iron F.F. 45° bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020507	3/8"	10	300	2,75
1020508	1/2"	10	150	2,60
1020509	3/4"	10	80	3,33
1020510	1"	10	80	4,23
1020511	1"1/4	10	50	7,60
1020512	1"1/2	10	40	10,05
1020513	2"	5	16	14,10
1020514	2"1/2	2	8	27,80
1020515	3"	1	6	39,00
1020517	4"	1	2	78,90



Fig. 2

- R E -

ART. 602

Curva a 90° F.F.
Galvanised cast iron F.F. bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020207	3/8"	10	150	2,16
1020208	1/2"	10	80	2,20
1020209	3/4"	10	60	4,80
1020210	1"	10	50	4,60
1020211	1"1/4	10	24	8,00
1020212	1"1/2	10	20	9,80
1020213	2"	5	10	13,60
1020214	2"1/2	2	6	38,15
1020215	3"	1	4	48,00
1020217	4"	1	2	91,10



Fig. 85

- R E -

ART. 608

Curva di sorpasso F.F.
Galvanised cast iron cross over.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020608	1/2"	10	80	2,80
1020609	3/4"	10	40	4,25
1020610	1"	10	40	8,80



Fig. 3

- R E -

ART. 603

Curva a 90° M.M.
Galvanised cast iron M.M. bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020308	1/2"	10	100	3,36
1020309	3/4"	10	60	3,80
1020310	1"	10	80	5,40
1020311	1"1/4	10	40	10,34
1020312	1"1/2	10	20	14,65
1020313	2"	5	12	19,80



Fig. 90

- R E -

ART. 610

Gomito 90° F.F.
Galvanised cast iron 90° F.F. elbow joint.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020706	1/4"	10	300	1,15
1020707	3/8"	10	300	1,00
1020708	1/2"	10	170	0,70
1020709	3/4"	10	90	1,10
1020710	1"	10	100	1,60
1020711	1"1/4	10	70	3,05
1020712	1"1/2	10	50	4,95
1020713	2"	10	25	5,80
1020714	2"1/2	2	12	17,00
1020715	3"	2	10	23,30
1020717	4"	1	4	41,75
1020719	5"	1	2	226,60
1020721	6"	1	2	372,70



Fig. 40

- R E -

ART. 604

Curva a 45° M.F.
Galvanised cast iron M.F. 45° bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020407	3/8"	10	300	2,40
1020408	1/2"	10	150	2,20
1020409	3/4"	10	80	3,00
1020410	1"	10	100	4,15
1020411	1"1/4	10	60	7,25
1020412	1"1/2	10	40	8,60
1020413	2"	5	14	13,70
1020414	2"1/2	2	8	30,36
1020415	3"	1	6	33,15
1020417	4"	1	2	74,70



Fig. 92

- R E -

ART. 612

Gomito 90° M.F.
Galvanised cast iron 90° M.F. elbow joint.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020906	1/4"	10	320	1,23
1020907	3/8"	10	260	1,15
1020908	1/2"	10	160	0,80
1020909	3/4"	10	100	1,23
1020910	1"	10	80	2,08
1020911	1"1/4	10	50	3,60
1020912	1"1/2	10	40	5,40
1020913	2"	10	20	7,05
1020914	2"1/2	2	12	17,55
1020915	3"	2	10	23,10
1020917	4"	1	4	39,50



Fig. 95

- R E -

ART. 614

Gomito a 90° F.F. con bocchettone a sede piana.

Galvanised cast iron flat seat bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021008	1/2"	10	60	4,70
1021009	3/4"	10	40	5,10
1021010	1"	10	50	6,40
1021011	1"1/4	10	24	11,12
1021012	1"1/2	10	20	15,60
1021013	2"	5	12	23,20



Fig. 130

- R E -

ART. 622

Tee a 90° F.F.

Galvanised cast iron F.F. tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021606	1/4"	10	200	1,65
1021607	3/8"	10	140	1,42
1021608	1/2"	10	100	0,90
1021609	3/4"	10	60	1,60
1021610	1"	10	60	2,35
1021611	1"1/4	10	36	4,15
1021612	1"1/2	10	24	6,45
1021613	2"	5	24	9,05
1021614	2"1/2	2	8	20,75
1021615	3"	2	8	27,75
1021617	4"	1	4	54,30
1021619	5"	1	2	334,35
1021621	6"	1	2	487,10



Fig. 96

- R E -

ART. 616

Gomito a 90° F.F. con bocchettone a sede conica.

Galvanised cast iron conic seat F.F. bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021108	1/2"	10	60	4,75
1021109	3/4"	10	40	5,50
1021110	1"	10	50	7,85
1021111	1"1/4	10	24	13,05
1021112	1"1/2	10	20	15,60
1021113	2"	5	12	26,25
1021114	2"1/2	1	5	56,25
1021115	3"	1	4	73,00



Fig. 180

- R E -

ART. 624

Croce a 90°.

Galvanised cast iron cross.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1022107	3/8"	10	110	3,40
1022108	1/2"	10	70	3,32
1022109	3/4"	10	50	4,95
1022110	1"	10	60	6,15
1022111	1"1/4	10	24	8,20
1022112	1"1/2	10	24	10,95
1022113	2"	5	12	16,35
1022114	2"1/2	1	7	37,00
1022115	3"	1	5	42,60
1022117	4"	1	3	70,60



Fig. 97

- R E -

ART. 618

Gomito a 90° M.F. con bocchettone a sede piana.

Galvanised cast iron flat seat M.F. bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021208	1/2"	10	50	4,80
1021209	3/4"	10	30	5,80
1021210	1"	10	40	7,35
1021211	1"1/4	10	20	12,80
1021212	1"1/2	10	20	16,95
1021213	2"	5	10	24,70



Fig. 221

- R E -

ART. 626

Distribuzione a gomito.

Galvanised cast iron elbow valve gears.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1022208	1/2"	10	80	3,10
1022209	3/4"	10	60	4,95
1022210	1"	10	80	6,55
1022211	1"1/4	10	34	11,60
1022212	1"1/2	10	24	16,46
1022213	2"	5	12	25,20



Fig. 98

- R E -

ART. 620

Gomito a 90° M.F. con bocchettone a sede conica.

Galvanised cast iron conic seat M.F. bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021307	3/8"	10	80	5,66
1021308	1/2"	10	50	5,40
1021309	3/4"	10	30	6,90
1021310	1"	10	40	9,50
1021311	1"1/4	10	20	13,80
1021312	1"1/2	10	20	16,90
1021313	2"	5	10	27,95
1021314	2"1/2	1	5	62,10
1021315	3"	1	4	83,20



Fig. 223

- R E -

ART. 628

Distribuzione a T.

Galvanised cast iron T-shaped valve gears.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1022308	1/2"	10	70	4,30
1022309	3/4"	10	40	5,40
1022310	1"	10	40	8,00
1022311	1"1/4	10	30	30,00
1022312	1"1/2	10	10	35,30
1022313	2"	5	5	46,00



Fig. 270

- R E -

ART. 630

Manicotto.
Galvanised cast iron coupling.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1022806	1/4"	10	250	1,15
1022807	3/8"	10	250	0,96
1022808	1/2"	10	200	0,78
1022809	3/4"	10	130	1,08
1022810	1"	10	120	1,42
1022811	1"1/4	10	100	2,22
1022812	1"1/2	10	70	3,20
1022813	2"	5	36	4,75
1022814	2"1/2	2	20	13,15
1022815	3"	2	14	15,80
1022817	4"	1	8	36,85
1022818	5"	1	4	159,11
1022821	6"	1	3	228,80



Fig. 280

- R E -

ART. 632

Nipplo doppio.
Galvanised cast iron nipple.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1023006	1/4"	10	400	1,16
1023007	3/8"	10	360	1,32
1023008	1/2"	10	250	0,70
1023009	3/4"	10	160	0,91
1023010	1"	10	120	1,32
1023011	1"1/4	10	100	2,22
1023012	1"1/2	10	80	2,57
1023013	2"	5	50	4,62
1023014	2"1/2	2	24	8,31
1023015	3"	2	16	10,00
1023017	4"	1	10	36,85
1023018	5"	1	4	123,52
1023021	6"	1	4	197,15



Fig. 290

- R E -

ART. 634

Tappo maschio con bordo.
Galvanised cast iron male cap.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1023206	1/4"	10	1000	0,67
1023207	3/8"	10	550	0,59
1023208	1/2"	10	400	0,62
1023209	3/4"	10	250	0,75
1023210	1"	10	200	0,90
1023211	1"1/4	10	140	1,54
1023212	1"1/2	10	100	1,90
1023213	2"	5	66	3,40
1023214	2"1/2	2	36	7,36
1023215	3"	2	20	9,50
1023217	4"	1	12	16,75



Fig. 300

- R E -

ART. 636

Calotta.
Galvanised cast iron female cap.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1023306	1/4"	10	600	0,84
1023307	3/8"	10	500	0,78
1023308	1/2"	10	300	0,88
1023309	3/4"	10	250	1,07
1023310	1"	10	150	1,25
1023311	1"1/4	10	150	1,90
1023312	1"1/2	10	130	2,35
1023313	2"	5	70	4,45
1023314	2"1/2	2	40	8,10
1023315	3"	2	24	8,80
1023317	4"	1	12	19,30



Fig. 310

- R E -

ART. 638

Controdado.
Galvanised cast iron flat lock nut.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1023508	1/2"	10	400	0,67
1023509	3/4"	10	300	0,70
1023510	1"	10	280	1,03
1023511	1"1/4	10	200	1,50
1023512	1"1/2	10	180	1,70
1023513	2"	10	100	3,40



Fig. 330

- R E -

ART. 640

Bocchettone F.F. a sede piana diritto.
Galvanised cast iron F.F. flat pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1023908	1/2"	10	80	2,85
1023909	3/4"	10	60	3,32
1023910	1"	10	60	3,76
1023911	1"1/4	10	40	6,50
1023912	1"1/2	10	30	8,35
1023913	2"	5	20	13,85
1023914	2"1/2	2	10	31,72
1023915	3"	1	8	46,55
1023917	4"	1	2	109,00



Fig. 331

- R E -

ART. 642

Bocchettone M.F. a sede piana diritto.
Galvanised cast iron M.F. flat pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1024008	1/2"	10	60	3,35
1024009	3/4"	10	40	3,75
1024010	1"	10	60	4,45
1024011	1"1/4	10	30	8,12
1024012	1"1/2	5	24	9,80
1024013	2"	2	14	15,35
1024014	2"1/2	2	6	35,66
1024015	3"	1	4	52,12



Fig. 340

- R E -

ART. 644

Bocchettone F.F. a sede conica diritto.
Galvanised cast iron F.F. conic pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1024106	1/4"	10	140	5,10
1024107	3/8"	10	120	4,60
1024108	1/2"	10	80	3,55
1024109	3/4"	10	60	4,00
1024110	1"	10	60	4,60
1024111	1"1/4	10	40	7,95
1024112	1"1/2	10	30	9,30
1024113	2"	5	20	15,30
1024114	2"1/2	2	10	33,60
1024115	3"	2	8	46,85
1024117	4"	1	4	94,60



Fig. 341

- R E -

ART. 646

Bocchettone M.F. a sede conica diritto.
Galvanised cast iron M.F. conic pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1024206	1/4"	10	140	5,30
1024207	3/8"	10	100	4,15
1024208	1/2"	10	60	3,45
1024209	3/4"	10	40	4,15
1024210	1"	10	50	5,16
1024211	1"1/4	10	30	8,20
1024212	1"1/2	10	24	10,50
1024213	2"	5	14	16,75
1024214	2"1/2	2	6	36,65
1024215	3"	1	4	57,35
1024217	4"	1	2	105,10



Fig. 130 R

- R E -

ART. 654

Tee a 90° ridotto.
Galvanised cast iron TEE reducing pipe fitting.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1021707	1/2"x3/8"x3/8"	10	100	2,15
1021708	1/2"x3/8"x1/2"	10	100	1,85
1021710	1/2"x3/4"x1/2"	10	70	2,10
1021719	3/4"x1/2"x1/2"	10	70	1,85
1021720	3/4"x1/2"x3/4"	10	70	1,70
1021722	3/4"x3/4"x1/2"	10	70	2,18
1021724	3/4"x1"x3/4"	10	80	3,55
1021730	1"x1/2"x1/2"	10	60	3,85
1021731	1"x1/2"x3/4"	10	80	2,75
1021732	1"x1/2"x1"	10	60	2,22
1021733	1"x3/4"x1/2"	10	80	3,50
1021734	1"x3/4"x3/4"	10	60	2,80
1021735	1"x3/4"x1"	10	60	2,40
1021736	1"x1"x1/2"	10	60	2,95
1021737	1"x1"x3/4"	10	60	3,22
1021738	1"x1"x1/4x1"	10	50	5,58
1021745	1"1/4x1/2"x1"1/4	10	60	3,75
1021746	1"1/4x3/4"x3/4"	10	60	5,60
1021748	1"1/4x3/4"x1"1/4	10	50	3,95
1021751	1"1/4x1"x1"	10	50	4,95
1021752	1"1/4x1"x1"1/4	10	50	4,40
1021753	1"1/4x1"1/4x1/2"	10	40	5,75
1021754	1"1/4x1"1/4x3/4"	10	40	6,65
1021755	1"1/4x1"1/4x1"	10	40	5,60
1021761	1"1/2x1/2"x1"1/2	10	40	5,00
1021765	1"1/2x3/4"x1"1/2	10	40	5,42
1021766	1"1/2x1"x1"	10	40	6,75
1021768	1"1/2x1"x1"1/2	10	40	5,86
1021771	1"1/2x1"1/4x1"1/2	10	30	7,96
1021772	1"1/2x1"1/2x1/2"	10	30	8,35
1021773	1"1/2x1"1/2x3/4"	10	30	9,50
1021774	1"1/2x1"1/2x1"	10	30	9,35
1021775	1"1/2x1"1/2x1"1/4	10	30	9,66
1021780	2"x1/2"x2"	5	30	7,40
1021782	2"x3/4"x2"	5	24	9,60
1021786	2"x1"x2"	5	24	7,50
1021789	2"x1"1/4x2"	5	24	9,60
1021793	2"x1"1/2x2"	5	24	11,06
1021796	2"x2"x1"	5	24	11,30
1021797	2"x2"x1"1/4	5	24	14,35
1021811	2"1/2x1"1/2x2"1/2	2	12	18,20
1021815	2"1/2x2"x2"1/2	2	15	20,50
1021828	3"x1"1/2x3"	1	12	28,80
1021832	3"x2"x3"	1	12	26,75
1021833	3"x2"1/2x3"	1	8	31,62
1021844	4"x2"x4"	1	4	47,10
1021843	4"x2"1/2x4"	1	4	60,15
1021848	4"x3"x4"	1	4	50,10



Fig. 529/A

- R E -

ART. 648

Manicotto M.F.
Galvanised cast iron M.F. coupling.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1024407	3/8"	10	250	1,40
1024408	1/2"	10	180	1,45
1024409	3/4"	10	130	2,15
1024410	1"	10	160	3,32
1024411	1"1/4	5	100	4,25
1024412	1"1/2	5	70	6,12
1024413	2"	5	30	10,20



Fig. 531

- R E -

ART. 650

Nipplo semplice.
Galvanised cast iron nipple.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1024508	1/2"	10	400	1,00
1024509	3/4"	10	280	1,42
1024510	1"	10	160	2,10
1024511	1"1/4	5	100	5,25
1024512	1"1/2	5	80	5,30
1024513	2"	5	50	9,75



Fig. 90 R

- R E -

ART. 652

Gomito 90° ridotto F.F.
Galvanised cast iron reducing elbow joint.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1020805	1/2"x1/4"	10	200	2,20
1020806	1/2"x3/8"	10	200	1,30
1020809	3/4"x3/8"	10	120	2,15
1020810	3/4"x1/2"	10	120	1,46
1020813	1"x1/2"	10	120	2,15
1020814	1"x3/4"	10	120	2,25
1020816	1"1/4x1/2"	10	90	3,75
1020817	1"1/4x3/4"	10	90	4,60
1020818	1"1/4x1"	10	70	3,65
1020822	1"1/2x1"	5	60	5,35
1020823	1"1/2x1"1/4	5	50	5,80
1020827	2"x1"	2	40	9,20
1020828	2"x1"1/4	2	30	10,00
1020829	2"x1"1/2	2	30	9,40



Fig. 240

- R E -

ART. 656

Manicotto di riduzione.
Galvanised cast iron coupling.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1022406	1/2"x3/8"	10	250	1,20
1022409	3/4"x3/8"	10	120	1,66
1022410	3/4"x1/2"	10	120	1,40
1022413	1"x1/2"	10	140	1,76
1022414	1"x3/4"	10	140	1,60
1022416	1"1/4x1/2"	10	120	3,40
1022417	1"1/4x3/4"	10	120	3,00
1022418	1"1/4x1"	10	100	2,90
1022420	1"1/2x1/2"	5	100	5,20
1022421	1"1/2x3/4"	5	90	4,60
1022422	1"1/2x1"	5	90	3,50
1022423	1"1/2x1"1/4	5	70	3,90
1022426	2"x3/4"	2	50	7,45
1022427	2"x1"	2	50	6,86
1022428	2"x1"1/4	2	40	6,07
1022429	2"x1"1/2	2	40	5,75



Fig. 241

- R E -

ART. 658

Riduzione M.F.
Galvanised cast iron reducer.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
1022503	3/8"x1/4"	10 500	0,90
1022505	1/2"x1/4"	10 450	0,70
1022506	1/2"x3/8"	10 450	0,70
1022508	3/4"x1/4"	10 250	1,28
1022509	3/4"x3/8"	10 250	0,97
1022510	3/4"x1/2"	10 250	0,75
1022511	1"x1/4"	10 180	1,85
1022512	1"x3/8"	10 180	1,62
1022513	1"x1/2"	10 180	1,05
1022514	1"x3/4"	10 180	1,00
1022516	1"x1/4x1/2"	10 120	1,80
1022517	1"x1/4x3/4"	10 140	1,60
1022518	1"x1/4x1"	10 180	1,20
1022520	1"x1/2x1/2"	10 90	2,40
1022521	1"x1/2x3/4"	10 100	2,65
1022522	1"x1/2x1"	10 110	1,78
1022523	1"x1/2x1"1/4	10 150	1,80
1022525	2"x1/2"	10 60	4,80
1022526	2"x3/4"	10 60	4,75
1022527	2"x1"	10 56	3,90
1022528	2"x1"1/4	10 60	3,70
1022529	2"x1"1/2	10 60	3,35
1022532	2"x1/2x1"	5 40	7,60
1022533	2"x1/2x1"1/4	5 36	8,80
1022534	2"x1/2x1"1/2	5 36	8,30
1022535	2"x1/2x2"	5 48	6,36
1022538	3"x1"	2 24	11,90
1022539	3"x1"1/4	2 24	11,90
1022540	3"x1"1/2	2 24	11,05
1022541	3"x2"	2 24	8,20
1022542	3"x2"1/2	2 32	9,30
1022543	4"x1"	1 12	27,90
1022544	4"x1"1/4	1 10	27,00
1022545	4"x1"1/2	1 12	26,00
1022546	4"x2"	1 12	23,85
1022547	4"x2"1/2	1 12	17,80
1022548	4"x3"	1 12	17,05
1022551	5"x4"	1 6	126,00
1022552	6"x3"	1 6	188,00
1022555	6"x4"	1 6	192,00
1022554	6"x5"	1 6	190,00



Fig. 246

- R E -

ART. 662

Manicotto F.M. di riduzione.
Galvanised cast iron reducing coupling.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
1022706	1/2"x3/8"	10 280	1,72
1022710	3/4"x1/2"	10 160	1,60
1022713	1"x1/2"	10 160	2,40
1022714	1"x3/4"	10 140	2,50
1022716	1"x1/4x1/2"	10 100	7,70
1022717	1"x1/4x3/4"	10 100	6,90
1022718	1"x1/4x1"	10 100	2,90
1022721	1"x1/2x3/4"	5 80	5,60
1022722	1"x1/2x1"	5 80	5,30
1022723	1"x1/2x1"1/4	5 80	4,80
1022727	2"x1"	2 50	7,70
1022728	2x1"1/4	2 50	7,50
1022729	2x1"1/2	2 50	8,20

GIUNTI RAPIDI IN GHISA JOINT RAPIDES



ART. 701

Bigiunto
Double joint

Codice Code	Ø	Conf. - Pack	€ Cad. € each
7700002	1/2"	5 50	23,60
7700003	3/4"	5 25	27,40
7700004	1"	4 16	32,30
7700005	1"1/4	3 12	42,30
7700006	1"1/2	3 9	55,80
7700008	2"	2 6	79,80



ART. 703

Giunto Maschio
Male joint

Codice Code	Ø	Conf. - Pack	€ Cad. € each
7460001	3/8"	5 75	16,50
7460002	1/2"	5 55	16,50
7460003	3/4"	5 30	18,30
7460004	1"	4 20	20,70
7460005	1"1/4	4 16	29,90
7460006	1"1/2	3 12	37,15
7460008	2"	2 6	52,90



Fig. 245

- R E -

ART. 660

Nipplo ridotto.
Galvanised cast iron reducing nipple.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
1022606	1/2"x3/8"	10 280	1,66
1022609	3/4"x3/8"	10 160	2,95
1022610	3/4"x1/2"	10 160	1,44
1022613	1"x1/2"	10 120	2,92
1022614	1"x3/4"	10 140	1,66
1022616	1"x1/4x1/2"	10 100	4,50
1022617	1"x1/4x3/4"	10 100	3,80
1022618	1"x1/4x1"	10 70	2,65
1022621	1"x1/2x3/4"	10 90	3,85
1022622	1"x1/2x1"	10 90	6,12
1022623	1"x1/2x1"1/4	10 90	3,33
1022626	2"x1"	5 50	5,50
1022628	2"x1"1/4	5 50	6,90
1022629	2"x1"1/2	5 50	6,30
1022634	2"x1/2x1"1/2	2 30	9,05
1022635	2"x1/2x2"	2 30	15,05
1022641	3"x2"	1 1	18,50



ART. 705

Giunto Femmina
Female joint

Codice Code	Ø	Conf. - Pack	€ Cad. € each
7400001	3/8"	5 75	16,50
7400002	1/2"	5 60	16,50
7400003	3/4"	5 30	18,90
7400004	1"	4 20	21,20
7400005	1"1/4	3 12	30,80
7400006	1"1/2	2 6	38,20
7400008	2"	2 6	42,60



Fig. 1



ART. 792

Curva a 90° M.F.
Galvanised cast iron M.F. bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20108	1/2"	10	110	2,28
CB20109	3/4"	10	60	4,00
CB20110	1"	1	35	5,40
CB20111	1"1/4	1	17	9,35
CB20112	1"1/2	1	12	12,32
CB20113	2"	1	6	19,90
CB20114	2"1/2	1	3	44,70
CB20115	3"	1	4	57,30
CB20117	4"	1	2	104,10



Fig. 90



ART. 800

Gomito 90° F.F.
Galvanised cast iron 90° FF elbow joint.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20707	3/8"	10	250	1,20
CB20708	1/2"	10	120	0,80
CB20709	3/4"	10	90	1,27
CB20710	1"	10	50	1,86
CB20711	1"1/4	1	30	3,60
CB20712	1"1/2	1	22	5,80
CB20713	2"	1	12	6,81
CB20714	2"1/2	1	7	20,00
CB20715	3"	1	4	27,40
CB20717	4"	1	2	49,10



Fig. 2



ART. 794

Curva a 90° F.F.
Galvanised cast iron F.F. bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20208	1/2"	10	90	2,57
CB20209	3/4"	10	50	4,00
CB20210	1"	1	28	5,40
CB20211	1"1/4	1	14	9,35
CB20212	1"1/2	1	10	11,50
CB20213	2"	1	5	16,00
CB20214	2"1/2	1	2	44,90
CB20215	3"	1	4	56,50
CB20217	4"	1	2	107,10



Fig. 92



ART. 802

Gomito 90° M.F.
Galvanised cast iron 90° MF elbow joint.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20907	3/8"	10	250	1,35
CB20908	1/2"	10	150	0,95
CB20909	3/4"	10	90	1,46
CB20910	1"	10	50	2,44
CB20911	1"1/4	1	30	4,21
CB20912	1"1/2	1	22	6,32
CB20913	2"	1	12	8,30
CB20914	2"1/2	1	7	20,60
CB20915	3"	1	4	27,15
CB20917	4"	1	2	46,40



Fig. 40



ART. 796

Curva a 45° M.F.
Galvanised cast iron M.F. 45° bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20408	1/2"	10	120	2,60
CB20409	3/4"	10	80	3,50
CB20410	1"	1	50	4,90
CB20411	1"1/4	1	25	8,50
CB20412	1"1/2	1	18	10,15
CB20413	2"	1	10	16,10
CB20414	2"1/2	1	6	35,70
CB20415	3"	1	3	38,95
CB20417	4"	1	4	87,80



Fig. 96



ART. 804

Gomito a 90° F.F. con bocchettone a sede conica.
Galvanised cast iron conic seat F.F. bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB21108	1/2"	10	50	5,55
CB21109	3/4"	10	40	6,40
CB21110	1"	1	28	9,20
CB21113	2"	1	6	30,85



Fig. 41



ART. 798

Curva a 45° F.F.
Galvanised cast iron F.F. 45° bent pipe.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB20508	1/2"	10	100	3,07
CB20509	3/4"	10	60	3,90
CB20510	1"	1	40	5,00
CB20511	1"1/4	1	22	9,00
CB20512	1"1/2	1	15	11,80
CB20513	2"	1	9	16,60
CB20514	2"1/2	1	4	32,75
CB20515	3"	1	2	41,70
CB20517	4"	1	2	92,80



Fig. 98



ART. 806

Gomito a 90° M.F. con bocchettone a sede conica.
Galvanised cast iron conic seat M.F. bent pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB21307*	3/8"	10	80	9,80
CB21308	1/2"	10	50	5,60
CB21309	3/4"	10	30	7,10
CB21310	1"	1	23	9,67
CB21311*	1"1/4	1	12	23,60
CB21312*	1"1/2	1	10	29,00
CB21313	2"	1	6	32,86

*Atusa



Fig. 130



ART. 808

Tee a 90° F.F.
Galvanised cast iron tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB21607	3/8"	10	120	1,67
CB21608	1/2"	10	70	1,08
CB21609	3/4"	10	60	1,86
CB21610	1"	10	30	2,75
CB21611	1"1/4	1	20	4,90
CB21612	1"1/2	1	14	7,60
CB21613	2"	1	10	10,65
CB21614	2"1/2	1	5	24,40
CB21615	3"	1	4	32,60
CB21617	4"	1	2	63,90



Fig. 290



ART. 816

Tappo maschio con bordo.
Galvanised cast iron male cap.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB23207	3/8"	10	400	0,64
CB23208	1/2"	10	300	0,64
CB23209	3/4"	10	200	0,87
CB23210	1"	10	120	0,95
CB23211	1"1/4	10	80	1,80
CB23212	1"1/2	10	60	2,23
CB23213	2"	1	40	4,00
CB23214	2"1/2	1	20	8,67
CB23215	3"	1	15	11,16
CB23217	4"	1	8	19,70



Fig. 180



ART. 810

Croce a 90°.
Galvanised cast iron cross.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB22108	1/2"	10	70	3,90
CB22109	3/4"	10	40	5,80
CB22110	1"	1	28	7,20
CB22111	1"1/4	1	16	9,70
CB22112	1"1/2	1	10	12,90
CB22113	2"	1	7	19,25



Fig. 300



ART. 817

Calotta esagonale.
Galvanised cast iron female cap.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB23308	1/2"	100	280	1,03
CB23309	3/4"	50	180	1,25
CB23310	1"	20	130	1,46
CB23311	1"1/4	10	80	2,23
CB23312	1"1/2	10	60	2,76
CB23313	2"	1	40	5,22
CB23314	2"1/2	1	25	9,50
CB23315	3"	1	15	10,36
CB23317	4"	1	8	22,66



Fig. 270



ART. 812

Manicotto.
Galvanised cast iron coupling.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB22807	3/8"	10	250	1,14
CB22808	1/2"	10	180	0,90
CB22809	3/4"	10	110	1,25
CB22810	1"	10	80	1,70
CB22811	1"1/4	1	45	2,65
CB22812	1"1/2	1	35	3,75
CB22813	2"	1	20	5,60
CB22814	2"1/2	1	12	15,45
CB22815	3"	1	9	18,60
CB22817	4"	1	4	43,30



Fig. 340



ART. 818

Bocchettone F.F. a sede conica diritto.
Galvanised cast iron FF conic pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB24108	1/2"	10	80	4,16
CB24109	3/4"	10	50	4,72
CB24110	1"	10	30	5,43
CB24111	1"1/4	1	20	9,35
CB24112	1"1/2	1	18	10,92
CB24113	2"	1	10	17,98



Fig. 280



ART. 814

Nipples doppio.
Galvanised cast iron nipples.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB23007	3/8"	10	300	1,56
CB23008	1/2"	10	200	0,82
CB23009	3/4"	10	130	1,10
CB23010	1"	10	80	1,56
CB23011	1"1/4	1	40	2,62
CB23012	1"1/2	1	40	3,00
CB23013	2"	1	20	5,45
CB23014	2"1/2	1	10	9,80
CB23015	3"	1	8	11,75
CB23017	4"	1	4	43,30



Fig. 341



ART. 820

Bocchettone M.F. a sede conica diritto.
Galvanised cast iron MF conic pipe union.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
CB24208	1/2"	10	60	4,05
CB24209	3/4"	10	40	4,90
CB24210	1"	1	35	6,07
CB24211	1"1/4	1	18	9,62
CB24212	1"1/2	1	15	12,32
CB24213	2"	1	10	19,70



Fig. 529



ART. 821

Manicotto M.F.
Galvanised cast iron MF coupling.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB24408	1/2"	10 200	1,67
CB24409	3/4"	10 120	2,52
CB24410	1"	10 60	3,90



Fig. 90 R



ART. 822

Gomito a 90° ridotto FF.
Galvanised cast iron reducing elbow joint.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB20810	3/4"x1/2"	10 90	1,72
CB20813	1"x1/2"	10 50	2,52
CB20814	1"x3/4"	10 50	2,65
CB20817	1"x1/4x3/4"	10 50	5,40
CB20818	1"x1/4x1"	10 50	4,30
CB20822	1"x1/2x1"	1 40	6,30
CB20823	1"x1/2x1 1/4"	1 35	6,85
CB20829	2"x1 1/2"	1 25	11,02



Fig. 130 R



ART. 824

Tee a 90° ridotto.
Galvanised cast iron TEE reducing pipe fitting.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB21710	1/2"x3/4"x1/2"	10 70	2,45
CB21720	3/4"x1/2"x3/4"	10 60	2,01
CB21732	1"x1/2"x1"	10 40	2,62
CB21735	1"x3/4"x1"	10 40	2,80
CB21737	1"x1"x3/4"	10 30	3,80
CB21745	1"x1/4x1/2"x1 1/4"	1 30	4,37
CB21748	1"x1/4x3/4"x1 1/4"	1 30	4,65
CB21752	1"x1/4x1"x1 1/4"	1 25	5,20
CB21761	1"x1/2x1/2"x1 1/2"	1 25	5,90
CB21765	1"x1/2x3/4"x1 1/2"	1 22	6,36
CB21768	1"x1/2x1"x1 1/2"	1 20	6,90
CB21771	1"x1/2x1"x1/4x1 1/2"	1 17	9,35
CB21780	2"x1/2"x2"	1 15	8,70
CB21782	2"x3/4"x2"	1 15	11,30
CB21786	2"x1"x2"	1 12	8,78
CB21789	2"x1"x1/4x2"	1 12	11,30
CB21793	2"x1"x1/2x2"	1 10	13,00



Fig. 240



ART. 826

Manicotto di riduzione.
Galvanised cast iron reducing socket.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB22406	1/2"x3/8"	10 200	1,40
CB22409	3/4"x3/8"	10 140	1,96
CB22410	3/4"x1/2"	10 140	1,64
CB22413	1"x1/2"	10 90	2,08
CB22414	1"x3/4"	10 80	1,90
CB22416	1"x1/4x1/2"	10 60	3,95
CB22417	1"x1/4x3/4"	10 60	3,50
CB22418	1"x1/4x1"	10 50	3,40
CB22422	1"x1/2x1"	1 45	4,10
CB22423	1"x1/2x1 1/4"	1 40	4,55
CB22426	2"x3/4"	1 30	8,78
CB22427	2"x1"	1 25	8,10
CB22428	2"x1 1/4"	1 22	7,15
CB22429	2"x1 1/2"	1 22	6,80



Fig. 241



ART. 828

Riduzione M.F.
Galvanised cast iron reducer.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB22505	1/2"x1/4"	10 350	0,82
CB22506	1/2"x3/8"	10 350	0,82
CB22509	3/4"x3/8"	10 200	1,15
CB22510	3/4"x1/2"	10 200	0,87
CB22513	1"x1/2"	10 140	1,22
CB22514	1"x3/4"	10 140	1,15
CB22516	1"x1/4x1/2"	10 80	2,12
CB22517	1"x1/4x3/4"	10 80	1,90
CB22518	1"x1/4x1"	10 80	1,40
CB22520	1"x1/2x1/2"	10 70	2,80
CB22521	1"x1/2x3/4"	10 70	3,10
CB22522	1"x1/2x1"	10 70	2,08
CB22523	1"x1/2x1 1/4"	10 70	2,10
CB22525	2"x1/2"	1 30	5,62
CB22526	2"x3/4"	1 30	5,55
CB22527	2"x1"	1 30	4,55
CB22528	2"x1 1/4"	1 30	4,35
CB22529	2"x1 1/2"	1 30	3,90
CB22533	2"x1/2x1 1/4"	1 20	10,35
CB22534	2"x1/2x1 1/2"	1 20	9,80
CB22535	2"x1/2x2"	1 20	7,50
CB22541	3"x2"	1 15	9,66
CB22542	3"x2 1/2"	1 15	10,90
CB22546	4"x2"	1 8	28,00
CB22548	4"x3"	1 8	20,00



Fig. 245



ART. 830

Nipplo ridotto.
Galvanised cast iron reducing nipple.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB22606	1/2"x3/8"	10 230	1,98
CB22610	3/4"x1/2"	10 150	1,70
CB22613	1"x1/2"	10 100	3,45
CB22614	1"x3/4"	10 100	1,95
CB22618	1"x1/4x1"	10 50	3,10
CB22622	1"x1/2x1"	1 50	7,20
CB22623	1"x1/2x1 1/4"	1 45	3,90
CB22628	2"x1 1/4"	1 25	8,10
CB22629	2"x1 1/2"	1 25	7,40
CB22635	2"x1/2x2"	1 14	17,70



Fig. 246



ART. 832

Manicotto F.M. di riduzione.
Galvanised cast iron reducing coupling.

Codice Code	Ø	Conf. - Pack	€ Cad. € each
CB22710	3/4"x1/2"	10 140	1,67
CB22713	1"x1/2"	10 80	2,57
CB22714	1"x3/4"	10 80	2,73
CB22718	1"x1/4x1"	10 50	3,00
CB22722	1"x1/2x1"	1 45	5,80
CB22723	1"x1/2x1 1/4"	1 40	5,10
CB22728	2"x1 1/4"	1 25	8,25
CB22729	2"x1 1/2"	1 20	8,70



Fig. 90

+GF+

ART. 834

Gomito 90° FF.
FF elbow 90°.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF20708	1/2"	10	100	1,35
GF20709	3/4"	10	60	2,15
GF20710	1"	10	30	3,10
GF20711	1"1/4	1	20	5,95
GF20712	1"1/2	1	30	9,65
GF20713	2"	1	20	11,25



Fig. 130

+GF+

ART. 838

Tea a 90° FF.
Equal tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21608	1/2"	10	60	1,66
GF21609	3/4"	10	40	3,16
GF21610	1"	1	30	4,60
GF21611	1"1/4	1	30	8,25
GF21612	1"1/2	1	20	12,85
GF21613	2"	1	12	17,66



Fig. 92

+GF+

ART. 835

Gomito a 90° MF.
MF elbow 90°.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF20908	1/2"	10	100	1,60
GF20909	3/4"	10	70	2,50
GF20910	1"	10	30	4,15
GF20911	1"1/4	1	25	7,10
GF20912	1"1/2	1	30	10,50
GF20913	2"	1	20	13,80



Fig. 133

+GF+

ART. 839

Tea a 90° FMF.
FMF equal tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21648	1/2"	10	80	6,60
GF21649	3/4"	10	40	9,90
GF21650	1"	1	30	16,80



Fig. 96

+GF+

ART. 836

Gomito 90° FF con bocchettone a sede conica.
FF union elbow taper seat.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21108	1/2"	10	60	9,10
GF21109	3/4"	10	40	10,50
GF21110	1"	1	25	15,10
GF21111	1"1/4	1	12	25,15
GF21112	1"1/2	1	20	30,00
GF21113	2"	1	5	50,40



Fig. 134

+GF+

ART. 840

Tea a 90° MFF.
MFF equal tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21660	1/2"	10	80	7,50
GF21661	3/4"	10	50	10,20
GF21664	1"	1	30	14,45



Fig. 98

+GF+

ART. 837

Gomito 90° MF con bocchettone a sede conica.
MF union elbow taper seat.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21308	1/2"	10	50	9,10
GF21309	3/4"	1	30	11,60
GF21310	1"	1	20	16,05
GF21311	1"1/4	1	10	26,80
GF21312	1"1/2	1	15	33,20
GF21313	2"	1	10	54,15



Fig. 135

+GF+

ART. 841

Tea a 90° MMM.
MMM equal tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF21688	1/2"	10	40	11,80
GF21689	3/4"	1	50	14,35
GF21690	1"	1	15	19,30



Fig. 180

+GF+

ART. 842

Crocce a 90°.
Equal cross.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF22108	1/2"	10	60	7,80
GF22109	3/4"	1	40	11,67
GF22110	1"	1	20	14,35
GF22111	1"1/4	1	15	19,30
GF22112	1"1/2	1	8	25,70
GF22113	2"	1	10	38,50



Fig. 280

+GF+

ART. 846

Nipples doppio.
Hexagon nipple.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF23008	1/2"	10	150	1,45
GF23009	3/4"	10	100	1,85
GF23010	1"	10	60	2,62
GF23011	1"1/4	1	40	4,30
GF23012	1"1/2	1	30	5,00
GF23013	2"	1	15	8,90



Fig. 221

+GF+

ART. 843

Distribuzione a gomito.
Side outlet elbow.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF22208	1/2"	10	80	7,30
GF22209	3/4"	10	50	11,60
GF22210	1"	1	30	15,30



Fig. 340

+GF+

ART. 847

Bocchettone FF a sede conica diritto.
FF union taper seat.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF24108	1/2"	10	50	8,25
GF24109	3/4"	10	50	9,36
GF24110	1"	1	30	10,80
GF24111	1"1/4	1	20	18,60
GF24112	1"1/2	1	15	21,70
GF24113	2"	1	10	35,75



Fig. 223

+GF+

ART. 844

Distribuzione a T.
Side outlet tee.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF22308	1/2"	1	30	10,12
GF22309	3/4"	1	15	12,65
GF22310	1"	1	10	18,70



Fig. 341

+GF+

ART. 848

Bocchettone MF a sede conica diritto.
MF union taper seat.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF24208	1/2"	10	70	6,65
GF24209	3/4"	10	40	8,00
GF24210	1"	1	30	9,90
GF24211	1"1/4	1	15	16,00
GF24212	1"1/2	1	10	20,20
GF24213	2"	1	8	32,10



Fig. 270

+GF+

ART. 845

Manicotto.
Galvanised cast iron coupling.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF22806	1/4"	10	100	2,70
GF22807	3/8"	10	100	2,25
GF22808	1/2"	10	120	1,80
GF22809	3/4"	10	80	2,50
GF22810	1"	10	50	3,35
GF22811	1"1/4	1	40	5,25
GF22812	1"1/2	1	30	7,50
GF22813	2"	1	15	11,15



Fig. 596

+GF+

ART. 849

Tappo per interni.
Exagon plug / square inside.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
GF25008	1/2"	10	200	2,30
GF25009	3/4"	10	150	3,00
GF25010	1"	10	150	3,55
GF25011	1"1/4	1	60	5,20
GF25012	1"1/2	1	25	9,75
GF25013	2"	1	20	14,60



**BARILOTTI
ZINCATI**

ART. 850

Viti di prolungamento 2 filetti in acciaio zincato.

Galvanised steel two thread barrel nipples.

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1165007	cm 6 x 3/8"	10	450	0,85
1165057	cm 7 x 3/8"	10	400	0,86
1165107	cm 8 x 3/8"	10	350	0,93
1165207	cm 10 x 3/8"	10	300	1,00
1165224	cm 12 x 3/8"	10	200	1,20
1165171	cm 15 x 3/8"	10	200	1,40
1165165	cm 20 x 3/8"	10	180	1,78
1165166	cm 25 x 3/8"	10	100	2,10
1165167	cm 30 x 3/8"	10	100	2,50
1164832	cm 40 x 3/8"	1	20	3,20
1164857	cm 50 x 3/8"	1	20	3,80
1164504	cm 60 x 3/8"	1	20	4,40
1164501	cm 80 x 3/8"	1	20	5,60
1164507	cm 100 x 3/8"	1	20	6,75
1164527	cm 150 x 3/8"	1	10	9,70
1164547	cm 200 x 3/8"	1	10	12,80
1164903	cm 4 x 1/2"	10	500	1,00
1164908	cm 5 x 1/2"	10	400	0,82
1165008	cm 6 x 1/2"	10	300	0,83
1165058	cm 7 x 1/2"	10	250	0,84
1165108	cm 8 x 1/2"	10	250	0,85
1165118	cm 9 x 1/2"	10	250	0,97
1165208	cm 10 x 1/2"	10	250	0,98
1165128	cm 11 x 1/2"	10	200	1,17
1165218	cm 12 x 1/2"	10	200	1,18
1165222	cm 13 x 1/2"	10	150	1,36
1165257	cm 14 x 1/2"	10	150	1,37
1165258	cm 15 x 1/2"	10	150	1,38
1165275	cm 16 x 1/2"	10	120	1,60
1165276	cm 17 x 1/2"	10	120	1,61
1165280	cm 18 x 1/2"	10	120	1,62
1165277	cm 19 x 1/2"	10	100	1,71
1165281	cm 20 x 1/2"	10	100	1,72
1165226	cm 21 x 1/2"	10	80	2,02
1164949	cm 22 x 1/2"	10	80	2,03
1164816	cm 23 x 1/2"	10	80	2,04
1164817	cm 24 x 1/2"	10	80	2,05
1165286	cm 25 x 1/2"	10	80	2,06
1165300	cm 26 x 1/2"	10	80	2,42
1165301	cm 27 x 1/2"	10	80	2,44
1165302	cm 28 x 1/2"	10	80	2,46
1164820	cm 29 x 1/2"	10	80	2,48
1165290	cm 30 x 1/2"	10	80	2,50
1164830	cm 40 x 1/2"	1	20	3,08
1164859	cm 50 x 1/2"	1	20	3,65
1164831	cm 60 x 1/2"	1	20	4,25
1164810	cm 70 x 1/2"	1	20	4,85
1164869	cm 80 x 1/2"	1	20	5,40
1164508	cm 100 x 1/2"	1	20	6,50
1164528	cm 150 x 1/2"	1	10	9,40
1164548	cm 200 x 1/2"	1	10	12,35

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1164904	cm 4 x 3/4"	10	350	1,10
1164909	cm 5 x 3/4"	10	250	1,00
1165009	cm 6 x 3/4"	10	250	0,98
1165059	cm 7 x 3/4"	10	200	0,99
1165109	cm 8 x 3/4"	10	180	1,10
1165119	cm 9 x 3/4"	10	180	1,21
1165209	cm 10 x 3/4"	10	150	1,22
1165129	cm 11 x 3/4"	10	150	1,32
1165219	cm 12 x 3/4"	10	100	1,33
1165233	cm 13 x 3/4"	10	100	1,63
1165223	cm 14 x 3/4"	10	100	1,64
1165259	cm 15 x 3/4"	10	100	1,65
1165234	cm 16 x 3/4"	10	80	1,83
1165225	cm 17 x 3/4"	10	80	1,84
1165235	cm 18 x 3/4"	10	80	1,85
1165227	cm 19 x 3/4"	10	80	2,02
1165282	cm 20 x 3/4"	10	80	2,03
1165228	cm 21 x 3/4"	10	60	2,30
1164950	cm 22 x 3/4"	10	60	2,31
1164951	cm 23 x 3/4"	10	60	2,32
1164952	cm 24 x 3/4"	10	60	2,33
1164953	cm 25 x 3/4"	10	60	2,34
1165236	cm 26 x 3/4"	10	50	2,80
1164954	cm 27 x 3/4"	10	50	2,81
1165237	cm 28 x 3/4"	10	50	2,82
1165229	cm 29 x 3/4"	10	50	2,83
1165291	cm 30 x 3/4"	10	50	2,84
1164955	cm 40 x 3/4"	1	20	3,60
1164858	cm 50 x 3/4"	1	20	4,40
1165239	cm 60 x 3/4"	1	20	5,00
1164920	cm 70 x 3/4"	1	20	5,85
1164865	cm 80 x 3/4"	1	10	6,55
1164509	cm 100 x 3/4"	1	10	8,10
1164529	cm 150 x 3/4"	1	5	11,20
1164549	cm 200 x 3/4"	1	5	14,60
1164905	cm 4 x 1"	10	200	1,30
1164910	cm 5 x 1"	10	160	1,45
1165010	cm 6 x 1"	10	100	1,20
1165060	cm 7 x 1"	10	90	1,22
1165110	cm 8 x 1"	10	90	1,36
1165120	cm 9 x 1"	10	80	1,63
1165210	cm 10 x 1"	10	80	1,64
1165130	cm 11 x 1"	10	80	1,79
1165220	cm 12 x 1"	10	60	1,80
1165254	cm 13 x 1"	10	60	2,15
1164958	cm 14 x 1"	10	60	2,16
1165260	cm 15 x 1"	10	60	2,17
1164959	cm 16 x 1"	10	60	2,49
1164960	cm 17 x 1"	10	50	2,50
1165256	cm 18 x 1"	10	50	2,51
1164961	cm 19 x 1"	10	50	2,69
1165283	cm 20 x 1"	10	50	2,70
1164962	cm 21 x 1"	10	50	3,15
1165279	cm 22 x 1"	10	40	3,16
1164963	cm 23x1"	10	40	3,17



BARILOTTI ZINCATI

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1164964	cm 24 x 1"	10	40	3,18
1165288	cm 25 x 1"	10	40	3,19
1165241	cm 26 x 1"	10	40	3,70
1165242	cm 27 x 1"	10	40	3,71
1165274	cm 28 x 1"	10	40	3,72
1165243	cm 29 x 1"	10	40	3,73
1165292	cm 30 x 1"	10	40	3,74
1165248	cm 40 x 1"	1	10	4,85
1164860	cm 50 x 1"	1	10	5,95
1164970	cm 60 x 1"	1	10	7,40
1164866	cm 70 x 1"	1	10	8,50
1164868	cm 80 x 1"	1	5	9,50
1164510	cm 100 x 1"	1	5	11,50
1164530	cm 150 x 1"	1	5	17,00
1164550	cm 200 x 1"	1	5	22,10
1164906	cm 4 x 1"1/4	10	120	1,80
1164911	cm 5 x 1"1/4	10	100	1,63
1165020	cm 6 x 1"1/4	10	80	1,64
1165061	cm 7 x 1"1/4	10	70	1,65
1165111	cm 8 x 1"1/4	10	70	1,70
1165121	cm 9 x 1"1/4	10	50	1,85
1165211	cm 10 x 1"1/4	10	50	1,86
1165131	cm 11 x 1"1/4	10	50	2,06
1165221	cm 12 x 1"1/4	10	40	2,10
1165151	cm 13 x 1"1/4	10	40	2,60
1165161	cm 14 x 1"1/4	10	40	2,62
1165266	cm 15 x 1"1/4	10	40	2,64
1164801	cm 16 x 1"1/4	10	30	3,30
1164802	cm 17 x 1"1/4	10	30	3,31
1165181	cm 18 x 1"1/4	10	30	3,32
1164803	cm 19 x 1"1/4	10	30	3,33
1165183	cm 20 x 1"1/4	10	30	3,34
1165289	cm 25 x 1"1/4	5	25	3,90
1165190	cm 30 x 1"1/4	5	25	4,60
1165240	cm 40 x 1"1/4	1	5	6,00
1164863	cm 50 x 1"1/4	1	5	7,55
1164867	cm 60 x 1"1/4	1	5	9,40
1164923	cm 70 x 1"1/4	1	5	10,90
1164873	cm 80 x 1"1/4	1	3	13,15
1164511	cm 100 x 1"1/4	1	3	16,95
1164531	cm 150 x 1"1/4	1	3	24,05
1164551	cm 200 x 1"1/4	1	3	30,80
1165019	cm 6 x 1"1/2	10	60	1,95
1165062	cm 7 x 1"1/2	10	50	1,96
1165112	cm 8 x 1"1/2	10	50	2,02
1165122	cm 9 x 1"1/2	10	40	2,30
1165212	cm 10 x 1"1/2	10	40	2,32
1165132	cm 11 x 1"1/2	10	40	2,60
1165230	cm 12 x 1"1/2	10	40	2,62
1165152	cm 13 x 1"1/2	10	30	3,28
1165162	cm 14 x 1"1/2	10	30	3,30
1165262	cm 15 x 1"1/2	10	30	3,32
1164927	cm 18 x 1"1/2	5	25	3,70
1165284	cm 20 x 1"1/2	5	25	4,00
1165296	cm 25 x 1"1/2	5	20	4,80

Codice Code	Ø	Conf. - Pack		€ Cad. € each
1165297	cm 30 x 1"1/2	5	20	5,80
1165196	cm 40 x 1"1/2	1	3	7,55
1164862	cm 50 x 1"1/2	1	3	9,30
1164972	cm 60 x 1"1/2	1	3	11,30
1164932	cm 70 x 1"1/2	1	3	13,50
1164933	cm 80 x 1"1/2	1	3	15,70
1164512	cm 100 x 1"1/2	1	3	20,00
1164532	cm 150 x 1"1/2	1	3	29,60
1164552	cm 200 x 1"1/2	1	3	38,80
1164973	cm 6 x 2"	1	40	2,57
1165113	cm 8 x 2"	1	35	2,72
1165213	cm 10 x 2"	1	30	3,12
1164921	cm 12 x 2"	1	25	3,60
1165263	cm 15 x 2"	1	20	4,15
1164928	cm 18 x 2"	1	14	4,70
1164285	cm 20 x 2"	1	14	5,20
1165287	cm 25 x 2"	1	12	6,30
1165293	cm 30 x 2"	1	12	7,40
1164852	cm 40 x 2"	1	3	9,66
1164864	cm 50 x 2"	1	3	11,90
1165271	cm 60 x 2"	1	3	14,56
1164930	cm 70 x 2"	1	3	17,50
1164874	cm 80 x 2"	1	3	19,80
1164513	cm 100 x 2"	1	3	25,10
1164533	cm 150 x 2"	1	3	36,30
1164553	cm 200 x 2"	1	3	49,30
1165114	cm 8 x 2"1/2	1	24	3,50
1165214	cm 10 x 2"1/2	1	24	4,00
1165192	cm 12 x 2"1/2	1	18	4,55
1165267	cm 15 x 2"1/2	1	12	5,55
1165185	cm 20 x 2"1/2	1	12	6,90
1165278	cm 25 x 2"1/2	1	6	8,40
1164752	cm 30 x 2"1/2	1	6	9,75
1165250	cm 40 x 2"1/2	1	2	12,80
1164870	cm 50 x 2"1/2	1	2	15,50
1164554	cm 100 x 2"1/2	1	2	30,80
1165215	cm 10x3"	1	15	5,50
1165268	cm 15 x 3"	1	8	7,90
1165294	cm 20 x 3"	1	8	10,10
1165285	cm 25 x 3"	1	4	12,50
1165295	cm 30 x 3"	1	4	14,90
1165269	cm 40 x 3"	1	2	19,40
1164871	cm 50 x 3"	1	2	24,50
1165103	cm 100 x 3"	1	2	42,50
1165217	cm 10x4"	1	10	9,30
1164750	cm 15 x 4"	1	5	12,90
1165316	cm 20 x 4"	1	5	16,20
1164934	cm 25 x 4"	1	3	19,30
1165298	cm 30 x 4"	1	3	22,50
1165315	cm 40 x 4"	1	1	29,95
1164939	cm 50 x 4"	1	1	37,30
1165104	cm 100 x 4"	1	1	58,00

ART. 852

Tronchetto nero filettato.
Black trunks.



**TRONCHETTI
NERI**

Codice - Code	cm x Ø	Conf. - Pack		€ Cad. - € each
1160207	cm 10x3/8"	10	300	0,70
1160307	cm 15x3/8"	10	200	0,95
1160208	cm 10x1/2"	10	250	0,70
1160308	cm 15x1/2"	10	150	0,95
1160209	cm 10x3/4"	10	150	0,88
1160309	cm 15x3/4"	10	100	1,20
1160210	cm 10x1"	10	80	1,20
1160310	cm 15x1"	10	60	1,70
1160211	cm 10x1"1/4	10	50	1,45
1160311	cm 15x1"1/4	10	40	1,95
1160212	cm 10x1"1/2	10	40	1,75
1160312	cm 15x1"1/2	1	30	2,45
1160213	cm 10x2"	1	30	2,30
1160313	cm 15x2"	1	20	3,10
1160214	cm 10x2"1/2	1	24	2,85
1160314	cm 15x2"1/2	1	12	4,10
1160215	cm 10x3"	1	15	4,10
1160315	cm 15x3"	1	8	6,00
1160217	cm 10x4"	1	10	6,70
1160317	cm 15x4"	1	5	9,30

ART. 854

Manicotto in acciaio nero.
Black steel coupling.



NERO

Codice - Code	Ø	lunghezza mm	Conf. - Pack	€ Cad. - € each
1161806	1/4"	25	10	0,44
1161807	3/8"	26	10	0,47
1161808	1/2"	34	50	0,48
1161809	3/4"	36	10	0,61
1161810	1"	43	10	0,92
1161811	1"1/4	48	5	1,36
1161812	1"1/2	48	5	1,67
1161813	2"	56	5	2,28
1161814	2"1/2	65	2	3,60
1161815	3"	71	2	5,10
1161817	4"	83	2	10,05

ART. 856

Manicotto in acciaio zincato.
Galvanised steel coupling.



ZINCATO

Codice - Code	Ø	lunghezza mm	Conf. - Pack	€ Cad. - € each
1161906	1/4"	25	10	0,50
1161907	3/8"	26	10	0,50
1161908	1/2"	34	50	0,56
1161909	3/4"	36	10	0,72
1161910	1"	43	10	1,08
1161911	1"1/4	48	5	1,65
1161912	1"1/2	48	5	2,05
1161913	2"	56	2	2,80
1161914	2"1/2	65	2	4,40
1161915	3"	71	2	6,20
1161917	4"	83	2	12,15

ART. 858

Mezzo manicotto in acciaio nero.
Black half-coupling.



NERO

Codice - Code	Ø	lunghezza mm	Conf. - Pack	€ Cad. - € each
1162006	1/4"	11	10	0,40
1162007	3/8"	12	10	0,42
1162008	1/2"	15	50	0,42
1162009	3/4"	17	10	0,60
1162010	1"	20	10	0,83
1162011	1"1/4	22	5	1,10
1162012	1"1/2	22	5	1,40
1162013	2"	26	2	1,95
1162014	2"1/2	30	2	3,05
1162015	3"	34	2	4,35
1162017	4"	40	2	8,40



- R E -

ART. 870

Giunti elastici flangiati.
Flange flexible couplings.

Codice Code	Ø	DN	Conf. - Pack Pack	€ Cad. € each
2324403	1"1/4	32	10	37,00
2324404	1"1/2	40	10	42,50
2324405	2"	50	10	50,50
2324406	2"1/2	65	5	63,60
2324408	3"	80	5	77,00
2324410	4"	100	4	88,00
2324412	5"	125	2	128,30
2324415	6"	150	2	180,00
2324420	8"	200	2	238,00

- Corpo in Neoprene.
- Flange PN 10/16 fino al DN 150 e PN 10 dal DN 200 in acciaio al carbonio zincate.
- Temperatura di esercizio da -30°C a +110°C.
- Pressione massima di esercizio 15 bar.
- Pressione di scoppio: 60 bar
- Fluidi: acqua, acqua di mare, acidi deboli, aria compressa.
- A norme DIN 50049 3.1B.

- Neoprene body.
- Flanges PN 10/16 until DN150 and PN10 from DN200 mild steel.
- Temperature: -30°C +110°C.
- Burst pressure: 60 bar.
- Applicable fluids: water, warm water, sea water, weak acids.
- Accordin to DIN 50049 3.1B.

Diametro nominale Nominal Diameter		Lunghezza di install. Installed length mm.		Corsa mm. Travel mm.	Movimenti ammissibili Allowable movements from neutral				Pressioni a 80°C Pressions 80°C		
Ø pollici inch	Ø mm	Lungh. libera Natural length	Minima Massima Minimum maximum	Tot. compressione estensione Total compressed extended	Compr. assiale Axial Compr.	Estens. assiale Axial Extension	Corsa laterale Lateral deflection	Corsa angolare Angular deflection	Positiva PSIG Positive PSIG	Positiva kg/cm2 Positive kg/cm2	Negativa mm HG Negative mm HG
1" 1/4	32	152	143 - 157	140 - 162	13	9	12	31°	225	16	660
1" 1/2	40	152	143 - 157	140 - 162	13	9	12	27°	225	16	660
2"	50	152	143 - 157	140 - 162	13	9	12	20°	225	16	660
2" 1/2	65	152	143 - 157	140 - 162	13	9	12	17°	225	16	660
3"	80	152	143 - 157	140 - 162	13	9	12	14°	225	16	660
4"	100	152	138 - 159	133 - 165	19	13	12	14°	225	16	660
5"	125	152	138 - 159	133 - 165	19	13	12	11°	225	16	660
6"	150	152	138 - 159	133 - 165	19	13	12	9°	225	16	660
8"	200	152	138 - 159	133 - 165	19	13	12	7°	225	16	660



- R E -

ART. 872

Giunti elastici filettati.
Flexible couplings.

Codice Code	Ø	Conf. - Pack Pack	€ Cad. € each
2324009	3/4"	10	16,30
2324010	1"	10	22,40
2324011	1"1/4	10	27,60
2324012	1"1/2	10	33,60
2324013	2"	10	44,60
2324014	2"1/2	5	79,00
2324015	3"	5	105,00

- Corpo in Neoprene.
- Temperatura di esercizio da -10°C a +105°C.
- Pressione massima di esercizio 10 bar.
- Pressione di scoppio: dal 3/4" al 2" 40 bar, dal 2"1/2 al 3" 30 bar
- Fluidi: acqua, acqua di mare, acidi deboli, aria compressa.

- Neoprene body.
- Temperature: -10°C +105°C.
- Burst pressure: from 3/4" to 2" 40 bar, from 2"1/2 up to 3" 30 bar.
- Applicable fluids: water, warm water, sea water, weak acids.

Diametro nominale Nominal Diameter		Lunghezza di install. Installed length mm.		Corsa mm. Travel mm.	Movimenti ammissibili Allowable movements from neutral				Pressioni a 80°C Pressions 80°C		
Ø pollici inch	Ø mm	Lungh. libera Natural length	Minima Massima Minimum maximum	Tot. compressione estensione Total compressed extended	Compr. assiale Axial Compr.	Estens. assiale Axial Extension	Corsa laterale Lateral deflection	Corsa angolare Angular deflection	Positiva PSIG Positive PSIG	Positiva kg/cm2 Positive kg/cm2	Negativa mm HG Negative mm HG
3/4"	20	203	186 - 206	181 - 209	22	6	22	32°	150	16	660
1"	25	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/4	32	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/2	40	203	186 - 206	181 - 209	22	6	22	20°	150	16	660
2"	50	203	186 - 206	181 - 209	22	6	22	15°	150	16	660
2" 1/2	65	240	224 - 244	218 - 246	22	6	22	12°	150	10	660
3"	80	240	224 - 244	218 - 246	22	6	22	10°	150	10	660



- R E -

OTTONE

ART. 874

Giunti elastici filettati con bocchettoni in ottone giallo.

Brass yellow unions.

Codice Code	Ø	Conf. - Pack 	€ Cad. € each
2324059	3/4"	10	73,00
2324060	1"	10	117,00
2324061	1" 1/4	10	153,00
2324062	1" 1/2	10	190,00
2324063	2"	10	240,00

- Corpo in Nitrile.
- Temperatura di esercizio da -10°C a +105°C.
- Pressione massima di esercizio 10 bar.
- Pressione di scoppio: 40 bar
- Fluidi: acqua, acqua di mare, acidi deboli, aria compressa.

- Nitrile body.
- Temperature: -10°C +105°C.
- Burst pressure: 40 bar.
- Applicable fluids: water, warm water, sea water, weak acids.

Diametro nominale Nominal Diameter		Lunghezza di install. Installed length mm.		Corsa mm. Travel mm.	Movimenti ammissibili Allowable movements from neutral				Pressioni a 80°C Pressions 80°C		
Ø pollici inch	Ø mm	Lungh. libera Natural length	Minima Massima Minimum maximum	Tot. compressione estensione Total compressed extended	Compr. assiale Axial Compr.	Estens. assiale Axial Extension	Corsa laterale Lateral deflection	Corsa angolare Angular deflection	Positiva PSIG Positive PSIG	Positiva kg/cm2 Positive kg/cm2	Negativa mm HG Negative mm HG
3/4"	20	203	186 - 206	181 - 209	22	6	22	32°	150	16	660
1"	25	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/4	32	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/2	40	203	186 - 206	181 - 209	22	6	22	20°	150	16	660
2"	50	203	186 - 206	181 - 209	22	6	22	15°	150	16	660



- R E -

BRONZO

ART. 875

Giunti elastici filettati con bocchettoni in bronzo.

Bronze unions.

Codice Code	Ø	Conf. - Pack 	€ Cad. € each
2324070	1"	10	130,00
2324071	1" 1/4	10	175,00
2324072	1" 1/2	10	219,00
2324073	2"	10	278,00

- Corpo in Nitrile.
- Temperatura di esercizio da -10°C a +105°C.
- Pressione massima di esercizio 10 bar.
- Pressione di scoppio: 40 bar
- Fluidi: acqua, acqua di mare, acidi deboli, aria compressa.

- Nitrile body.
- Temperature: -10°C +105°C.
- Burst pressure: 40 bar.
- Applicable fluids: water, warm water, sea water, weak acids.

Diametro nominale Nominal Diameter		Lunghezza di install. Installed length mm.		Corsa mm. Travel mm.	Movimenti ammissibili Allowable movements from neutral				Pressioni a 80°C Pressions 80°C		
Ø pollici inch	Ø mm	Lungh. libera Natural length	Minima Massima Minimum maximum	Tot. compressione estensione Total compressed extended	Compr. assiale Axial Compr.	Estens. assiale Axial Extension	Corsa laterale Lateral deflection	Corsa angolare Angular deflection	Positiva PSIG Positive PSIG	Positiva kg/cm2 Positive kg/cm2	Negativa mm HG Negative mm HG
1"	25	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/4	32	203	186 - 206	181 - 209	22	6	22	25°	150	16	660
1" 1/2	40	203	186 - 206	181 - 209	22	6	22	20°	150	16	660
2"	50	203	186 - 206	181 - 209	22	6	22	15°	150	16	660

**ART. 876**

Canapa pettinata a coda di cavallo
ballette da kg. 12,5 x 4 = kg. 50.
Pony tailed hemp is available in kg. 12,5 small bales.

Codice Code	Conf. - Pack	€ al kg € per kg
0021000	Kg 50	13,00

**ART. 880**

Canapa in bustina gr. 100 e gr. 250.
Hemp is contained in little bags.

Codice Code	gr	Conf. - Pack	€ Cad. € each
0020002	100	100	2,10
0020005	250	40	4,80

**ART. 878**

Canapa pettinata a coda di cavallo in
buste da kg.1.
Heat-shrinking pony tailed hemp in kg.1 bags.

Codice Code	Conf. - Pack	€ Cad. € each
0022000	20	15,00

**ART. 881**

Spoletta di canapa
Hemp bobbin.

Codice Code	gr	Conf. - Pack	€ Cad. € each
0020050	80	10	5,00

**ART. 879**

Canapa in gomitoli da gr. 100 circa.
Sool hemp gr. 100.

Codice Code	Conf. - Pack	€ Cad. € each
0021001	80	3,50

**ART. 881/A**

Contenitore per spoletta
Hemp bobbin container.

Codice Code	Conf. - Pack	€ Cad. € each
0020051	10	9,10



- R E -

ART. 882

Nastro p.t.f.e per idraulica spessore 0.075.
P.t.f.e tape for hydraulic use which is 0.075 thick.

Codice Code	mt x mm	Conf. - Pack ⊞	€ Cad. € each
0041008	12x12	1000	0,34
0041009	25x19	1000	1,30
0041010	50x19	250	2,20

Per nastro PTFE mt. 12
Personalizzato minimo d'ordine 6000 pezzi + 80%



- R E -

ART. 884

Nastro PTFE per gas spessore 0.10.
0-10 Thick PTFE tape for gas.

Codice Code	mt x mm	Conf. - Pack ⊞	€ Cad. € each
0041058	12x12	1000	0,40
0041059	12x19	1000	0,63
0041070	12x12 UNI 751/3 FRP	250	1,25
0041072	12x12 UNI 751/3 FRP	250	2,15



- R E -

ART. 886

Nastro PTFE professionale spessore 0.20.
0.20 thick Teflon tape for professional use.

Codice Code	mt x mm	Conf. - Pack ⊞	€ Cad. € each
0041098	15x12	250	1,25
0041099	15x19	250	1,85
0041095	15x25	250	2,50



- R E -

ART. 887

Nastro PTFE HD rosa spessore 0.10 per vapore.
0,10 Pink PTFE tape for steam.

Codice Code	mt x mm	Conf. - Pack ⊞	€ Cad. € each
0041062	12x12	500	1,45
0041064	12x19	500	2,40



ART. 888

LOCTITE 55 il filo sigillaraccordi.
Sigillante multifibra in nylon per filettature sia in plastica che metallo.

Codice Code	mt	Conf. - Pack ⊞	€ Cad. € each
1064020	150	96	24,80
1064022	50 Blister	48	16,80



ART. 890

Sigillante anaerobico per filetti acqua - gas - aria - GPL a norma EN 751-1.
Anaerobic sealing product used for water, gas, air and LPG threads according to EN 751-1 regulation.

Codice Code	Tubetti ml Tube ml	Conf. - Pack ⊞	€ Cad. € each
0043005	75	16	8,40
0043000	100	30	9,80
0043025	250	10	15,00



ART. 892

Pasta verde per giunti a vite in barattoli da gr 450.
Green compound used for screw couplings which is contained in gr 450 cans.

Codice Code	gr	Conf. - Pack ⊞	€ Cad. € each
0121100	450	BARATTOLI 48	2,30
0121175	100	TUBETTO 24	1,70



ART. 894

Pasta Kolmat per acqua e gas priva di sostanze nocive in barattoli.
Canned gas and water Kolmat compound without noxious substances.

Codice Code	gr	Conf. - Pack ⊞	€ Cad. € each
0121300	450	30	10,60



ESENTE AMIANTO

ART. 896

Guarnizioni per raccordi e flessibili 2 mm esente amianto.
2 mm brass pipe fitting gaskets without asbestos.

Codice Code	Ø	mm	Conf. - Pack ⊞	€ Cad. € each
0071007	3/8"	14,5x8	100	1,60
0071008	1/2"	18,5x11	100	2,30
0071009	3/4"	24x16,5	100	2,70
0071010	1"	30x22	100	3,80
0071011	1 1/4"	38x30	100	7,30
0071012	1 1/2"	44x33	100	10,80
0071013	2"	56x43	100	16,80



ESENTE AMIANTO

ART. 898

Guarnizioni esente amianto per bocchettone ghisa 2 mm.
2 mm cast iron pipe fitting gaskets without asbestos.

Codice Code	Ø	mm	Conf. - Pack ⊞	€ Cad. € each
0071607	3/8"	28x19	100	3,80
0071608	1/2"	33x24,5	100	4,90
0071609	3/4"	37x27	100	7,30
0071610	1"	44x33	100	10,80
0071611	1 1/4"	56x43	100	16,50
0071612	1 1/2"	62x46,5	100	23,20
0071613	2"	79x60,5	100	27,30
0071614	2 1/2"	95x75	100	48,30
0071615	3"	110x89	100	102,60