


ART. 400

Gomito F.F. AISI 316.
AISI 316 F.F. elbow.



- R E -

Fig. 90


Codice - Code	Ø	A	B	TK	Conf. - Pack		€ Cad. - € each
1300205	1/8"	16	14	1,6	10	500	1,20
1300206	1/4"	18	16,5	1,7	10	500	1,45
1300207	3/8"	21	20	1,5	10	300	1,70
1300208	1/2"	25	26	1,6	10	160	2,10
1300209	3/4"	30	32	1,7	10	100	3,45
1300210	1"	34	39,2	2,1	10	60	4,94
1300211	1"1/4	40	47,2	2,2	5	45	7,10
1300212	1"1/2	43,5	54,5	2,4	5	25	9,80
1300213	2"	53,5	67	2,7	5	10	15,30
1300214	2"1/2	63,5	85	3,3	1	6	28,20
1300215	3"	74	97,5	2,8	1	4	44,60
1300217	4"	89	124,5	3,8	1	2	80,25

ART. 402

Gomito M.F. AISI 316.
AISI 316 M.F. elbow.



- R E -

Fig. 92


Codice - Code	Ø	Ø A	Ø B	C	TK	Conf. - Pack		€ Cad. - € each
1300105	1/8"	18	26	16	2,8	10	500	1,65
1300106	1/4"	20	30	17	2	10	450	1,90
1300107	3/8"	21	31	20	2,2	10	200	2,25
1300108	1/2"	22	31	26	2,2	10	150	2,60
1300109	3/4"	27	37	32	2,1	10	100	3,80
1300110	1"	33	46	39	2,2	10	50	5,80
1300111	1"1/4	38	52	47	2,5	5	30	7,70
1300112	1"1/2	42	58	54,5	2,6	5	25	10,40
1300113	2"	51	67	67,5	2,6	5	10	15,60
1300114	2"1/2	64	81	84	3,3	1	6	29,10
1300115	3"	74	92	96,8	3	1	4	52,00
1300117	4"	89	108	124	4	1	2	92,15

ART. 404

Bocchettone conico curvo F.F. AISI 316.
AISI 316 F.F. bent pipe union.



- R E -

Fig. 96


Codice - Code	Ø	A	B	Conf. - Pack		€ Cad. - € each
1300308	1/2"	46	24,5	10	60	7,70
1300309	3/4"	53	30	10	50	10,70
1300310	1"	56	33	10	30	13,65
1300311	1"1/4	67	39,5	5	20	20,80
1300312	1"1/2	70	43	4	12	24,10
1300313	2"	85	53,5	2	6	37,45

ART. 406

Bocchettone conico curvo MF AISI 316.
AISI 316 MF bent pipe union.



- R E -

Fig. 98


Codice - Code	Ø	A	B	Conf. - Pack		€ Cad. - € each
1300358	1/2"	46	24,5	10	60	8,30
1300359	3/4"	53	30	10	40	11,60
1300360	1"	56	33	10	20	15,16
1300361	1"1/4	67	39,5	5	20	22,30
1300362	1"1/2	70	43	4	12	25,90
1300363	2"	85	53,5	2	6	41,60

ART. 407

Gomito 45° F.F. AISI 316.
AISI 316 F.F. elbow.



- R E -

Fig. 120


Codice - Code	Ø	A	B	TK	Conf. - Pack		€ Cad. - € each
1306256	1/4"	16	17,5	2,0	10	500	2,08
1306257	3/8"	18	21	2,2	10	420	2,30
1306258	1/2"	20	26	1,8	10	150	3,00
1306259	3/4"	25	32	1,9	10	100	3,85
1306260	1"	27	39	2,0	10	60	5,35
1306261	1"1/4	32	49	2,3	5	40	8,60
1306262	1"1/2	33	55,2	2,3	5	25	11,30
1306263	2"	40	68	2,5	5	15	15,75

ART. 407/A

Gomito 45° M.F. AISI 316.
AISI 316 M.F. elbow.



- R E -

Fig. 121


Codice - Code	Ø	Ø1	Ø5	A	B	E	F	Conf. - Pack		€ Cad. - € each
1306357	3/8"	20,8	17,5	32	23	2,4	2,5	10	420	2,50
1306358	1/2"	27,5	21	37	28	2,1	3	10	150	3,55
1306359	3/4"	32,5	26,5	43	32	2,1	3	10	90	4,75
1306360	1"	40,5	33	52	38	2,5	3	10	50	7,75
1306361	1"1/4	49,5	41,8	59	43	2,7	3,5	5	30	11,45
1306362	1"1/2	56	48	64	48	2,9	3,5	5	20	14,90
1306363	2"	68	60	74	57	2,9	4	2	10	21,70

ART. 408

Tee AISI 316.
AISI 316 Tee.



- R E -

Fig. 130


Codice - Code	Ø	A	B	TK	Conf. - Pack		€ Cad. - € each
1301605	1/8"	16	14	1,9	10	300	1,35
1301606	1/4"	19	17	1,5	10	300	1,66
1301607	3/8"	21	20	2,3	10	200	2,00
1301608	1/2"	25	26	1,8	10	120	3,00
1301609	3/4"	30	32	1,9	10	60	4,75
1301610	1"	34	39,2	2,1	10	40	6,55
1301611	1"1/4	40	42	2,3	5	30	9,50
1301612	1"1/2	44	54	2,4	5	20	12,80
1301613	2"	53,5	67,5	2,5	5	10	19,90
1301614	2"1/2	64	84	3,3	1	4	36,86
1301615	3"	73	97	3,3	1	3	54,70
1301617	4"	93,5	125,6	4,6	1	1	107,00

ART. 410

Croce AISI 316.
AISI 316 cross.



- R E -

Fig. 180


Codice - Code	Ø	A	B	TK	Conf. - Pack		€ Cad. - € each
1308306	1/4"	18	16,5	2,3	10	160	2,68
1308307	3/8"	21	20	2,2	10	120	3,10
1308308	1/2"	25	26	1,7	10	100	4,45
1308309	3/4"	30	32	1,8	10	60	8,60
1308310	1"	34	39	2,1	5	30	10,10
1308311	1"1/4	40	47	2,1	5	20	17,85
1308312	1"1/2	44	54,5	2,1	5	10	18,45
1308313	2"	53,5	67	2,1	2	8	27,05

ART. 412

Nipple AISI 316.
AISI 316 nipple.



- R E -

Fig. 280


Codice - Code	Ø	L	ID	SW	Conf. - Pack		€ Cad. - € each
1303005	1/8"	23,2	5,6	12	10	1000	1,07
1303006	1/4"	25	9	14,5	10	800	1,10
1303007	3/8"	28,5	11,2	17,5	10	600	1,35
1303008	1/2"	37	14,7	22,6	10	350	2,00
1303009	3/4"	41	20	27,7	10	200	2,95
1303010	1"	45,4	26,6	36	10	120	4,45
1303011	1 1/4"	50	35	43,5	5	60	5,65
1303012	1 1/2"	53,3	40	50	5	40	7,75
1303013	2"	61	50	63	6	36	13,10
1303014	2 1/2"	72	64,3	77,5	2	12	22,30
1303015	3"	77	77,3	91,5	2	10	30,30
1303017	4"	83	101	116	1	5	44,60

ART. 414

Tappo M AISI 316.
AISI 316 M plug.



- R E -

Fig. 290


Codice - Code	Ø	SW	L	ID	chiave	Conf. - Pack		€ Cad. - € each
1303205	1/8"	12	14	0	6	10	1000	1,05
1303206	1/4"	15	17	0	6	10	1000	1,10
1303207	3/8"	18	17,8	0	6	10	600	1,40
1303208	1/2"	22	20,9	15	6	10	500	1,52
1303209	3/4"	28	25	21	6	10	300	2,17
1303210	1"	36	26,7	26	8	10	200	3,35
1303211	1 1/4"	43,6	30,5	35	8	10	120	4,45
1303212	1 1/2"	50	30,6	40,3	8	10	70	5,75
1303213	2"	62	34,3	51,6	8	5	50	8,90
1303214	2 1/2"	78	39	67	8	2	24	13,70
1303215	3"	92	42	78,5	8	2	20	22,50
1303217	4"	116	47	103	8	1	10	37,45

ART. 416

Tappo F AISI 316.
AISI 316 F plug.



- R E -

Fig. 300


Codice - Code	Ø	SW	L	A	chiave	Conf. - Pack		€ Cad. - € each
1303305	1/8"	12,5	12,1	2,4	6	10	1000	1,40
1303306	1/4"	15,2	15,1	2,6	6	10	1000	1,50
1303307	3/8"	18,7	15,5	3,5	6	10	600	1,52
1303308	1/2"	25	19	3,7	6	10	400	1,96
1303309	3/4"	30,7	20	2,5	8	10	250	2,75
1303310	1"	37,3	23	3,2	8	10	180	4,15
1303311	1 1/4"	46,5	24	3,3	8	10	70	5,65
1303312	1 1/2"	53	25	3,5	8	10	40	6,55
1303313	2"	64,3	29,5	3,6	8	5	30	9,50
1303314	2 1/2"	80	32	5	8	2	20	14,90
1303315	3"	92,5	34,5	4,7	8	2	8	22,00
1303317	4"	120	40,5	3,8	8	1	5	44,60

ART. 418

Bocchettone conico F.F. diritto AISI 316.
AISI 316 F.F. conic pipe union.



- R E -


Fig. 340

Codice - Code	Ø	L	chiave	SW2	SW1	Conf. - Pack		€ Cad. - € each
1304105	1/8"	26,5	8	13	25	10	200	4,00
1304106	1/4"	32	8	17	30,5	10	200	5,05
1304107	3/8"	34	8	20,5	34	10	180	5,80
1304108	1/2"	38	8	21,6	37	10	150	6,10
1304109	3/4"	42,5	8	30	46	10	80	8,60
1304110	1"	46,5	8	37	52	10	40	11,30
1304111	1 1/4"	52	10	46	64,5	5	30	16,05
1304112	1 1/2"	53	10	52	70	5	25	19,00
1304113	2"	63	10	63,5	86	5	15	31,80
1304114	2 1/2"	73	10	80	105	1	8	44,60
1304115	3"	78,5	10	93	118,5	1	6	62,40
1304117	4"	87	10	117	147	1	2	98,10

ART. 420

Bocchettone conico MF diritto
 AISI 316.

AISI 316 M.F. conic pipe union.



- R E -


Fig. 341

Codice - Code	Ø	L	chiave	SW2	SW1	Conf. - Pack		€ Cad. - € each
1304205	1/8"	36	8	13	25	10	150	3,95
1304206	1/4"	42,5	8	17	30,5	10	150	5,35
1304207	3/8"	44	8	20,5	34	10	120	6,25
1304208	1/2"	53	8	21,6	37	10	100	6,55
1304209	3/4"	58	8	30	46	10	60	9,80
1304210	1"	65	8	37	52	10	40	12,20
1304211	1 1/4"	71,5	10	46	64,5	6	24	17,85
1304212	1 1/2"	75	10	52	70	4	16	21,70
1304213	2"	88	10	63,5	86	5	10	32,70
1304214	2 1/2"	93	10	80	105	1	6	48,15
1304215	3"	104	10	93	118,5	1	3	66,90
1304217	4"	111	10	117	147	1	2	107,00

ART. 422

Tuttavite AISI 316.

AISI 316 nipple.



- R E -


Fig. 531

Codice - Code	Ø	L	Conf. - Pack		€ Cad. - € each
1304506	1/4"	18	10	600	2,10
1304507	3/8"	22	10	500	2,20
1304508	1/2"	25	10	350	2,40
1304509	3/4"	30	10	200	2,50
1304510	1"	35	10	150	3,60
1304511	1 1/4"	38	10	60	4,95
1304512	1 1/2"	38	10	50	6,00
1304513	2"	45	5	30	8,00
1304515	3"	60	5	20	15,50

ART. 423

Manicotto ridotto F.F. AISI 316.

F.F. AISI 316 reducing coupling.



- R E -


Fig. 240

Codice - Code	Ø	Ø 1	Ø 2	L3	Conf. - Pack		€ Cad. - € each
1302903	3/8"x 1/4"	22	17,5	28,1	10	500	1,80
1302906	1/2"x 3/8"	26,1	21	33,4	10	450	2,30
1302910	3/4"x 1/2"	32,1	27	36,6	10	360	3,30
1302914	1"x 3/4"	39,5	32	40	10	210	4,45
1302918	1 1/4"x 1"	48,9	39	43,2	10	120	6,50
1302923	1 1/2"x 1 1/4"	55,3	48,5	46	10	50	8,90
1302929	2"x 1 1/2"	69	55,5	51,5	5	40	11,90

ART. 424

Riduzione M.F. AISI 316.

M.F. AISI 316 reducer.



- R E -

Fig. 241


Codice - Code	Ø	L1	m	SW	Conf. - Pack		€ Cad. - € each
1302501	1/4"x1/8"	11	4	15	10	900	1,20
1302502	3/8"x1/8"	11,5	3,5	17,5	10	900	1,22
1302503	3/8"x1/4"	12,7	5	18,5	10	900	1,30
1302504	1/2"x1/8"	15,2	4,8	22,5	10	500	1,96
1302505	1/2"x1/4"	15,4	4,8	22,5	10	500	1,66
1302506	1/2"x3/8"	15,1	4,8	22,5	10	500	1,69
1302508	3/4"x1/4"	16,6	5,7	28	10	350	2,54
1302509	3/4"x3/8"	16,7	5,8	28,3	10	350	2,50
1302510	3/4"x1/2"	16,9	5,6	28,5	10	350	2,62
1302513	1"x1/2"	18,9	7	34,8	10	200	3,45
1302514	1"x3/4"	18,8	7,2	35	10	200	3,30
1302516	1 1/4"x1/2"	20,5	8,5	44	5	120	5,45
1302517	1 1/4"x3/4"	20,3	8,5	43,4	5	120	5,65
1302518	1 1/4"x1"	20,6	8,4	43,9	5	120	4,95
1302521	1 1/2"x3/4"	21,5	8,5	49	5	90	7,45
1302522	1 1/2"x1"	21,6	8,4	49	5	90	6,85
1302523	1 1/2"x1 1/4"	21,8	8,2	49	5	90	5,40
1302527	2"x1"	25,6	8,4	61,8	5	50	11,90
1302528	2"x1 1/4"	25,5	8,5	62,5	5	50	11,30
1302529	2"x1 1/2"	25,4	8,8	62,3	5	50	10,12
1302531	2 1/2"x1 1/2"	28,1	10,7	78,3	6	30	19,65
1302530	2 1/2"x2"	28,2	10,8	78	6	30	16,35
1302541	3"x2"	28,5	12	89,8	4	16	26,20
1302542	3"x2 1/2"	30,2	11,8	92,5	4	16	23,80
1302549	4"x3"	34,8	13	115,8	1	10	38,65

ART. 426

Vite doppia ridotta M.M. AISI 316.
M.M. AISI 316 double reduced screw.



- R E -

Fig. 245


Codice - Code	Ø	L1	L2	mm	SW	Conf. - Pack		€ Cad. - € each
1302957	1/4"x1/8"	12,1	9,3	5,7	15	10	1000	1,20
1302959	3/8"x1/4"	12	12	6	18,5	10	650	1,30
1302980	1/2"x1/8"	14,5	8,8	5,5	22	10	400	1,80
1302960	1/2"x1/4"	14,5	11,7	5,8	22	10	400	1,65
1302961	1/2"x3/8"	14,6	12,3	5,5	22,5	10	400	1,66
1302982	3/4"x1/4"	15,5	11,3	6	28	10	300	2,50
1302962	3/4"x1/2"	17	14,5	6,3	28,4	10	300	2,55
1302963	1"x1/2"	19	15	6,3	34,5	10	200	3,85
1302964	1"x3/4"	18,3	16,6	7	35,2	10	200	3,60
1302966	1"x1/4x1/2"	20,2	15	7,8	44,2	5	100	4,75
1302968	1"x1/4x1"	20,5	18,3	7,8	44	5	100	5,45
1302970	1"x1/2x1"	20,8	18,6	20,8	49,9	5	80	6,55
1302972	1"x1/2x1"x1/4	20,8	20,3	20,8	50	5	80	6,85
1302973	2"x1"	26	18,6	26	62	5	40	9,50
1302974	2"x1"x1/4	25,3	20,7	25,3	61,9	5	40	8,90
1302975	2"x1"x1/2	26	21,5	26	62	5	40	10,10

ART. 428

Controdado inox AISI 316.
AISI 316 back nut.



- R E -

Fig. 310


Codice - Code	Ø	A	B	Conf. - Pack		€ Cad. - € each
1307905	1/8"	15	7	10	1500	1,10
1307906	1/4"	19,2	6	10	1200	1,13
1307907	3/8"	24	6,5	10	1000	1,20
1307908	1/2"	26,5	8	10	600	1,25
1307909	3/4"	32	10	10	500	1,60
1307910	1"	38,5	10	10	350	1,95
1307911	1"x1/4	48	11,2	10	200	2,70
1307912	1"x1/2	55	12	10	150	3,65
1307913	2"	68	13,3	10	80	5,35

ART. 430

Portagomma M AISI 316.
AISI 316 hose connector.



- R E -




Codice - Code	Ø	A	L	B	C	SW	Conf. - Pack		€ Cad. - € each
1308006	1/4"	9	48	8	5	15	10	600	1,60
1308007	3/8"	11	48	11,3	7	18,3	10	500	1,90
1308008	1/2"	15	52,6	15,4	10	22	10	350	2,40
1308009	3/4"	20	61	20	15,1	28	10	150	3,45
1308010	1"	26	66	26,2	20,4	36	10	100	5,65
1308011	1"x1/4	34	75	35,4	27,6	44	5	60	7,75
1308012	1"x1/2	40,5	82	40,2	33,5	50	5	40	11,00
1308013	2"	52,5	98,5	51	45,5	62	5	20	17,25
1308014	2"x1/2	63,5	116	64,7	53,4	78	1	8	32,70
1308015	3"	76,1	119,5	77	66,7	91,3	1	4	44,00
1308017	4"	100	127	102	91	116	1	2	62,40

ART. 432

Tronchetto a saldare AISI 316.
Aisi 316 trunk to be welded.



- R E -




Codice - Code	Ø	A	L	Conf. - Pack		€ Cad. - € each
1308206	1/4"	13,7	30	10	600	0,90
1308207	3/8"	17,1	30	10	500	1,00
1308208	1/2"	21,34	35	10	350	1,25
1308209	3/4"	26,67	40	10	200	1,52
1308210	1"	33,4	40	10	150	2,10
1308211	1"x1/4	42,16	50	5	60	3,10
1308212	1"x1/2	48,26	50	5	50	3,60
1308213	2"	60,33	50	5	25	4,85
1308214	2"x1/2	76,3	60	1	18	8,35
1308215	3"	88,9	70	1	10	11,60
1308217	4"	114,3	80	1	4	20,20

ART. 450

Barilotto AISI 316.
AISI 316 barrel nipple.



- R E -




Codice - Code	Ø	L mm	A	Conf. - Pack		€ Cad. - € each
1308156	1/4"	40	13,7	10	500	1,20
1308157	3/8"	40	17,1	10	500	1,35
1308158	1/2"	60	21,34	10	200	1,90
1308159	3/4"	60	26,67	10	100	2,25
1308285	1"	80	33,4	10	70	3,75
1308286	1 1/4"	80	42,16	5	50	4,75
1308162	1 1/2"	80	48,26	5	30	5,40
1308163	2"	100	60,33	5	15	8,95

ART. 451

Barilotto AISI 304.
AISI 304 barrel nipple.



- R E -




Codice - Code	Ø A	L mm	Conf. - Pack		€ Cad. - € each
1308131	cm. 4 x 1/2"	40	10	250	1,35
1308132	cm. 5 x 1/2"	50	10	250	1,50
1308113	cm. 6 x 1/2"	60	10	200	1,70
1308116	cm. 7 x 1/2"	70	10	150	1,95
1308117	cm. 8 x 1/2"	80	10	150	2,10
1308130	cm. 9 x 1/2"	90	10	100	2,25
1308114	cm. 10 x 1/2"	100	10	100	2,35
1308133	cm. 11 x 1/2"	110	10	100	2,70
1308134	cm. 12 x 1/2"	120	10	100	2,82
1308144	cm. 13 x 1/2"	130	10	100	3,00
1308145	cm. 14 x 1/2"	140	10	100	3,20
1308115	cm. 15 x 1/2"	150	10	100	3,40
1308148	cm. 16 x 1/2"	160	10	100	3,60
1308304	cm. 20 x 1/2"	200	10	100	4,45
1308135	cm. 4 x 3/4"	40	10	100	1,50
1308136	cm. 5 x 3/4"	50	10	100	1,65
1308137	cm. 6 x 3/4"	60	10	100	1,95
1308138	cm. 7 x 3/4"	70	10	80	2,30
1308139	cm. 8 x 3/4"	80	10	50	2,50
1308140	cm. 9 x 3/4"	90	10	200	2,70
1308141	cm. 10 x 3/4"	100	10	100	3,00
1308142	cm. 11 x 3/4"	110	10	100	3,12
1308143	cm. 12 x 3/4"	120	10	70	3,45
1308123	cm. 13 x 3/4"	130	10	10	3,90
1308124	cm. 14 x 3/4"	140	10	10	4,15
1309501	cm. 4 x 1"	40	10	100	2,10
1309502	cm. 5 x 1"	50	10	70	2,40
1309503	cm. 6 x 1"	60	10	70	2,60
1309504	cm. 7 x 1"	70	10	10	3,00
1309505	cm. 8 x 1"	80	10	50	3,30
1309506	cm. 9 x 1"	90	10	50	3,30
1309507	cm. 10 x 1"	100	10	50	3,90
1309508	cm. 11 x 1"	110	10	10	4,15
1309509	cm. 12 x 1"	120	10	50	4,80
1309510	cm. 13 x 1"	130	10	10	5,05
1309511	cm. 4 x 1 1/4"	40	5	10	2,50
1309512	cm. 5 x 1 1/4"	50	5	50	3,00
1309513	cm. 6 x 1 1/4"	60	5	50	3,85
1309514	cm. 7 x 1 1/4"	70	5	50	3,60
1309515	cm. 8 x 1 1/4"	80	5	50	4,20
1309516	cm. 9 x 1 1/4"	90	5	10	4,30
1309517	cm. 10 x 1 1/4"	100	5	40	4,60
1309518	cm. 11 x 1 1/4"	110	5	25	5,05
1309519	cm. 12 x 1 1/4"	120	5	10	5,65
1309521	cm. 9 x 1 1/2"	90	1	1	6,00
1308292	cm. 10 x 1 1/2"	100	1	1	6,85
1308288	cm. 11 x 1 1/2"	110	1	1	7,45
1308200	cm. 12 x 1 1/2"	120	1	1	8,00
1308164	cm. 15 x 1 1/2"	150	5	10	8,60
1308295	cm. 6 x 2"	60	1	1	7,75
1308129	cm. 9 x 2"	90	1	1	8,90

ART. 454

Manicotto AISI 316 Standard.
AISI 316 coupling to be welded.



- R E -

Fig. 270


Codice - Code	Ø	D	L	Spess. mm	Conf. - Pack		€ Cad. - € each
1302805	1/8"	14	18	2,75	10	800	1,20
1302806	1/4"	18	24	3,30	10	700	1,50
1302807	3/8"	20,5	29	2,90	10	550	1,65
1302808	1/2"	24,5	32	3,15	10	350	1,90
1302809	3/4"	30	34	3,05	10	200	2,25
1302810	1"	37	41	3,45	10	100	3,25
1302811	1 1/4"	46,5	47	3,90	5	50	5,35
1302812	1 1/2"	51,5	47	3,45	5	40	5,30
1302813	2"	67	61	5,25	6	18	11,90
1302814	2 1/2"	84,5	70	6,65	2	12	22,30
1302815	3"	96	75	6,15	2	8	25,30
1302817	4"	125	86	8,15	2	4	48,15

ART. 456

Mezzo manicotto AISI 316.
AISI 316 half coupling to be welded.



- R E -

Fig. 170

Codice - Code	Ø	D	L	Spess. mm	Conf. - Pack		€ Cad. - € each
1303105	1/8"	14	11,5	2,75	10	1000	1,05
1303106	1/4"	18	13,5	3,30	10	1000	1,10
1303107	3/8"	21	14,5	3,10	10	700	1,20
1303108	1/2"	26	18,5	3,75	20	400	1,50
1303109	3/4"	32	20	4,05	10	300	2,00
1303110	1"	38	22	3,95	10	200	2,40
1303111	1 1/4"	48,5	25	4,90	6	80	4,00
1303112	1 1/2"	55	27	5,20	4	70	5,05
1303113	2"	67	31	5,25	2	40	6,85
1303114	2 1/2"	84,5	35	6,65	2	24	12,80


ART. 457

Manicotto AISI 304.
AISI 304 coupling to be welded.



NEW

- R E -



Codice - Code	Ø	D	L	Conf. - Pack		€ Cad. - € each
1302787	3/8"	22	22	10		1,40
1302788	1/2"	27	25	10		1,80
1302789	3/4"	33,7	30	10		2,55
1302790	1"	40	35	10		3,45
1302791	1 1/4"	48	40	5		4,60
1302792	1 1/2"	55	40	5		5,50
1302793	2"	68	45	6		8,40
1302794	2 1/2"	85	50	2		14,60
1302795	3"	96	50	2		15,80
1302797	4"	124	50	2		24,10


ART. 458

Manicotto AISI 316.
AISI 316 coupling to be welded.



NEW

- R E -



Codice - Code	Ø	D	L	Conf. - Pack		€ Cad. - € each
1302657	3/8"	22	22	10		1,60
1302658	1/2"	27	25	10		2,20
1302659	3/4"	33,7	30	10		3,30
1302660	1"	40	35	10		4,45
1302661	1 1/4"	48	40	5		5,95
1302662	1 1/2"	55	40	5		7,30
1302663	2"	68	45	6		10,85
1302664	2 1/2"	85	50	2		19,00
1302665	3"	96	50	2		20,20
1302667	4"	124	50	2		30,90

ART. 460

Riduzione concentrica AISI 304
spess. 2 mm.
AISI 304 concentric reductions.



Codice - Code	Ø	Conf. - Pack	€ Cad. - € each
1308230	26,9x21,3	1	5,05
1308231	33,7x21,3	1	3,66
1308232	33,7x26,9	1	3,48
1308223	42,4x26,9	1	5,00
1308235	42,4x33,7	1	4,85
1308234	48,3x26,9	1	6,50
1308237	48,3x33,7	1	6,40
1308224	48,3x42,4	1	6,25
1308225	60,3x26,9	1	7,75
1308226	60,3x33,7	1	7,90
1308238	60,3x42,4	1	7,45
1308239	60,3x48,3	1	7,15
1308218	76,1x33,7	1	17,10
1308219	76,1x42,4	1	9,50
1308220	76,1x48,3	1	9,65
1308221	76,1x60,3	1	8,90
1308227	88,9x33,7	1	20,50
1308228	88,9x42,4	1	11,30
1308249	88,9x48,3	1	11,45
1308229	88,9x60,3	1	11,30
1308240	88,9x76,1	1	10,70
1308253	114,3x48,3	1	25,30
1308248	114,3x60,3	1	16,45
1308254	114,3x76,1	1	16,05
1308242	114,3x88,9	1	15,60
1308505	139,7x76,1	1	25,30
1308506	139,7x88,9	1	22,60
1308247	139,7x114,3	1	25,30
1308246	168,3x88,9	1	28,25
1308244	168,3x114,3	1	28,55
1308250	168,3x139,7	1	42,50
1308243	219,1x114,3	1	75,50
1308504	219,1x139,7	1	44,60
1308545	219,1x168,3	1	44,60

ART. 462

Curva a saldare mm. 2 AISI 304.
DIN 2605 D3.
AISI 304 mm. 2 welding elbow.



- R E -

Codice - Code	DE	DN	Ø	Spess. mm	Conf. - Pack	€ Cad. - € each
1308608	21,3	15	1/2"	2	1	2,70
1308609	26,9	20	3/4"	2	1	3,30
1308610	33,7	25	1"	2	1	3,75
1308611	42,4	32	1 1/4"	2	1	3,90
1308612	48,3	40	1 1/2"	2	1	5,66
1308613	60,3	50	2"	2	1	8,35
1308614	76,1	65	2 1/2"	2	1	12,95
1308615	88,9	80	3"	2	1	17,85
1308616	101,6	90	3 1/2"	2	1	22,90
1308617	114,3	100	4"	2	1	30,60
1308618	139,7	125	5"	2	1	54,10
1308620	168,3	150	6"	2	1	80,30
1308623	219,1	200	8"	2	1	154,60

ART. 524

Fondello bombato AISI 304
spess. 2 mm.
AISI 304 rounded botton.



Codice - Code	DE	Ø DN	Ø GAS	Spess. mm	Conf. - Pack	€ Cad. - € each
1308808	21,3	15	1/2"	2	1	1,46
1308809	26,9	20	3/4"	2	1	1,49
1308810	33,7	25	1"	2	1	2,10
1308811	42,4	32	1 1/4"	2	1	2,40
1308812	48,3	40	1 1/2"	2	1	2,85
1308813	60,3	50	2"	2	1	3,40
1308814	76,1	65	2 1/2"	2	1	4,80
1308815	88,9	80	3"	2	1	5,25
1308816	101,6	90	3 1/2"	2	1	6,25
1308817	114,3	100	4"	2	1	8,00
1308819	139,7	125	5"	2	1	9,82
1308822	168,3	150	6"	2	1	15,50
1308824	219,1	200	8"	2	1	24,10

ART. 526

Tee a saldare mm. 2 AISI 304.
AISI 304 mm. 2 welding tee.



- R E -

Codice - Code	DE	Ø DN	Ø GAS	Spess. mm	Conf. - Pack	€ Cad. - € each
1301508	21,3	15	1/2"	2	1	8,05
1301509	26,9	20	3/4"	2	1	8,20
1301510	33,7	25	1"	2	1	8,30
1301511	42,4	32	1 1/4"	2	1	10,70
1301512	48,3	40	1 1/2"	2	1	13,10
1301513	60,3	50	2"	2	1	15,80
1301514	76,1	65	2 1/2"	2	1	20,80
1301515	88,9	80	3"	2	1	30,30
1301516	101,6	90	3 1/2"	2	1	37,80
1301517	114,3	100	4"	2	1	47,00
1301522	139,7	125	5"	2	1	72,25
1301520	168,3	150	6"	2	1	95,10

ART. 530

Flangia piana acc. inox AISI 304
UNI 2277-2278 PN 10/16, EN
1092-1/01.

AISI 304 UNI 2277-2278 PN 10/16
EN 1092 - 1/01 stainless steel flat
flanges.



Codice - Code	DN	Ø	Fori	Conf. - Pack	€ Cad. - € each
1143508	15	1/2"	4	10	12,10
1143509	20	3/4"	4	10	17,00
1143510	25	1"	4	10	20,60
1143511	32	1 1/4"	4	10	28,10
1143512	40	1 1/2"	4	10	30,30
1143513	50	2"	4	10	38,95
1143514	65	2 1/2"	4	4	46,00
1143524	65	2 1/2"	8	4	46,00
1143515	80	3"	4	4	55,15
1143528	80	3"	8	4	55,15
1143517	100	4"	8	4	66,50
1143519	125	5"	8	2	81,10
1143521	150	6"	8	2	113,00
1143525	200	8"	8	2	149,00
1143530	200	8"	12	2	163,50

ART. 531

Bulloni per flange in acciaio inox
A2.
SS A2 Flange bolts.



Codice - Code	Ø	Per Flange	Conf. - Pack	€ Cad. - € each
1146050	12x50	32-50	20	1,50
1146060	16x60	65-80	20	3,00
1146065	16x65	oltre	20	3,50

ART. 532

Cartella di appoggio spess. 2 mm
AISI 304.
Lap-joint.



Codice - Code	DE	Ø DN	Ø	Conf. - Pack	€ Cad. - € each
1308828	21,3	15	1/2"	1	0,80
1308829	26,9	20	3/4"	1	0,92
1308830	33,7	25	1"	1	1,00
1308837	42,4	32	1 1/4"	1	1,20
1308832	48,3	40	1 1/2"	1	1,50
1308831	60,3	50	2"	1	1,80
1308833	76,1	65	2 1/2"	1	2,60
1308835	88,9	80	3"	1	3,60
1308858	101,6	90	3 1/2"	1	4,15
1308834	114,3	100	4"	1	5,05
1308836	139,7	125	5"	1	6,55
1308838	168,3	150	6"	1	7,75
1308840	219,1	200	8"	1	12,20

ART. 535

Flangia in alluminio ISO-PN10.
Aluminium flange ISO-PN10.


**ALLUMINIO**

Codice - Code	DN	Ø	Ø INT mm	Fori	Conf. - Pack	€ Cad. - € each
1143100	10	3/8"	19	4	10	6,25
1143101	15	1/2"	24	4	10	4,00
1143102	20	3/4"	30	4	10	4,70
1143103	25	1"	36	4	10	5,90
1143104	32	1 1/4"	46	4	10	8,65
1143105	40	1 1/2"	54	4	10	8,90
1143106	50	2"	65	4	4	10,15
1143107	65	2 1/2"	81	4	4	13,10
1143108	80	3"	94	8	4	14,90
1143110	100	4"	119	8	4	16,70
1143112	125	5"	145	8	2	22,00
1143113	150	6"	173	8	2	24,10
1143120	200	8"	225	8	2	35,70
1143125	250	10"	279	12	2	47,60
1143130	300	12"	329	12	2	50,55

ART. 536

Valvola di ritegno in acciaio
inox AISI 304 stampata tenuta
NBR, pressione nominale 16
bar. Temperatura di esercizio
-25°C+90°C.

Stainless steel AISI 304 check valve.



Codice - Code	Ø	A	B	C	Conf. - Pack	€ Cad. - € each
2320605	1/2"	18	55	32	12	32,70
2320609	3/4"	30	66,7	44	8	38,65
2320610	1"	35,8	83	53	8	45,80
2320611	1 1/4"	45	97	62	6	59,45
2320612	1 1/2"	50,8	115	78	6	71,95
2320613	2"	63	120,5	89	4	137,30
2320614	2 1/2"	80	141	113	1	274,70
2320615	3"	93	164	132	1	378,50

ART. 536/A


Valvola di ritegno in acciaio inox
AISI 316 tenuta NBR.

Stainless steel AISI 316 check valve.



NEW

- R E -



Codice - Code	Ø	A	L	Conf. - Pack	€ Cad. - € each
2320757	3/8"	10,5	49	1	
2320758	1/2"	13,5	53,5	1	17,90
2320759	3/4"	14,5	58	1	20,80
2320760	1"	16	65	1	25,30
2320761	1 1/4"	18,5	72,5	1	34,20
2320762	1 1/2"	18,5	76	1	44,60
2320763	2"	22,5	88,5	1	63,90

ART. 536/B

Collare in acciaio inox 304 con
tassello.

304 SS brackets with plug.



Codice - Code	Ø	Conf. - Pack	€ Cad. - € each
1143408	1/2"	10	3,50
1143409	3/4"	10	3,65
1143410	1"	10	4,10
1143411	1 1/4"	10	4,20
1143412	1 1/2"	10	4,60
1143413	2"	10	5,00
1143414	2 1/2"	10	8,50
1143415	3"	10	9,50

ART. 537

Rubinetto portagomma a sfera
acciaio inox AISI 316.
Ball tap with hose connector.



- R E -

Codice - Code	Ø	Conf. - Pack	€ Cad. - € each
1103508	1/2"	20	16,65
1103509	3/4"	30	20,80
1103510	1"	20	28,25

ART. 537/A

Rubinetto a sfera per botti acciaio
inox AISI 316.
Ball tap with hose connector.



- R E -

Con O-Ring sul filetto
With O-ring on thread

Codice - Code	Ø	Conf. - Pack	€ Cad. - € each
1103607	3/8"	100	17,85
1103608	1/2"	90	18,50

ART. 538


Valvola a sfera MINIBALL MF in
acciaio inox AISI 316.
MF Mini ball valve.



- R E -

Corpo valvola acciaio inox AISI 316, tenuta
sfera PTFE, guarnizioni NBR, attacchi filettati
UNI EN 10226-1, pressione nominale di
esercizio 63 bar, temperatura di esercizio
-25°C/+180°C

Body valve stainless steel AISI 316, ball seats
PTFE, o-ring NBR, threaded ends according to
UNI EN 10226-1, nominal working pressure 63
bar, working temperature -25°C/+180°C



Codice - Code	Ø	DN	A	L	M	P	Conf. - Pack	€ Cad. - € each
1104156	1/4" MF	8	26	40	22	8	200	14,90
1104157	3/8" MF	10	26	40	22	8	200	13,40
1104158	1/2" MF	15	28	46	22	10	120	14,90

ART. 539


Valvola a sfera MINIBALL FF in
acciaio inox AISI 316.
FF Mini ball valve.



- R E -

Corpo valvola acciaio inox AISI 316, tenuta
sfera PTFE, guarnizioni NBR, attacchi filettati
UNI EN 10226-1, pressione nominale di
esercizio 63 bar, temperatura di esercizio
-25°C/+180°C

Body valve stainless steel AISI 316, ball seats
PTFE, o-ring NBR, threaded ends according to
UNI EN 10226-1, nominal working pressure 63
bar, working temperature -25°C/+180°C



Codice - Code	Ø	DN	A	L	M	P	Conf. - Pack	€ Cad. - € each
1104106	1/4" FF	8	26	40	22	8	200	14,90
1104107	3/8" FF	10	26	40	22	8	200	13,40
1104108	1/2" FF	15	28	46	22	10	120	14,90

ART. 540


Filtri a Y in acciaio inox AISI 316.
AISI 316 "Y strainer".



- R E -

Corpo e parti metalliche acciaio inox AISI 316,
guarnizioni PTFE, connessioni filettate gas F
ISO 228, pressione nominale di esercizio 40
bar, temperatura di esercizio -25°C/+200°C

Body valve and metallic parts stainless steel
AISI 316, seal PTFE, threaded ends UNI ISO
228 gas female, nominal working pressure 40
bar, working temperature -25°C/+180°C



Codice - Code	Ø	DN	A	L	Ød3	E	Conf. - Pack	€ Cad. - € each
2322506	1/4"	8	30	65	1,0	1,0	20	12,50
2322507	3/8"	10	30	65	1,0	1,0	60	12,20
2322508	1/2"	15	40	65	1,0	1,0	40	12,80
2322509	3/4"	20	45	80	1,0	1,0	40	19,00
2322510	1"	25	55	90	1,0	1,0	20	29,75
2322511	1 1/4"	32	65	105	1,0	1,0	12	35,65
2322512	1 1/2"	40	70	120	1,0	1,0	5	56,50
2322513	2"	50	85	140	1,0	1,0	4	75,50


ART. 541

Valvola clapet in acciaio inox AISI
316, guarnizioni in PTFE.
AISI 316 swing check valve, PTFE
gaskets.



NEW


- R E -



Codice - Code	DN	ØD	H	L	Conf. - Pack	€ Cad. - € each
2320698	1/2"	15	41,5	64	1	18,15
2320699	3/4"	20	51,5	80	1	24,40
2320700	1"	24	56,5	90	1	34,50
2320701	1 1/4"	32	70	104	1	50,00
2320703	1 1/2"	40	75	119	1	71,35
2320704	2"	48	80	137	1	107,00

ART. 542Raccordo M
AISI 304.**NEW**


- R E -



Codice - Code	DN	A	B	C	D	L	Conf. - Pack		€ Cad. - € each
1301252	25	28,2	35	26	44	22	5	120	3,40
1301253	32	34,2	41	32	50	25	5	100	4,30
1301254	40	40,2	48	38	56	26	5	85	5,20
1301255	50	52,2	61	50	68	28	5	50	7,30
1301256	65	70,3	79	66	86	32	5	30	10,85
1301280	80	85,3	93	81	100	37	2	16	14,40
1301290	101,6	101,9	112	99	121	44	2	8	23,65

ART. 542/ARaccordo F
AISI 304.**NEW**

- R E -




Codice - Code	DN	A	B	C	D	L	Conf. - Pack		€ Cad. - € each
1301122	25	28,2	35	26	52	29	5	120	5,35
1301123	32	34,2	41	32	58	32	5	75	6,55
1301161	40	40,2	48	38	65	33	5	60	8,05
1301125	50	52,2	61	50	78	35	5	30	10,11
1301126	65	70,3	79	66	95	40	5	20	15,30
1301128	80	85,3	93	81	110	45	2	12	23,20
1301167	101,6	101,9	112	99	130	54	2	8	34,20

ART. 542/B

Girella AISI 304.

**NEW**

- R E -




Codice - Code	DN	A	B	C	L	Spessore	Conf. - Pack		€ Cad. - € each
1301302	25	63	52	36	21	4	5	85	6,85
1301303	32	70	58	42	21	4	5	60	7,40
1301304	40	78	65	49	21	4	5	40	8,50
1301305	50	92	78	62	22	4	5	40	10,00
1301306	65	112	95	80	25	6	5	15	14,85
1301308	80	127	110	94	29	6	2	14	19,60
1301310	104	148	130	115	31	6	2	8	26,50

ART. 542/C

Guarnizione di tenuta EPDM.

**NEW**


- R E -



Codice - Code	DN	A	B	L	Conf. - Pack		€ Cad. - € each
1301352	25	40	30	5	10	400	0,48
1301353	32	46	36	5	10	300	0,51
1301354	40	52	42	5	10	200	0,54
1301355	50	64	54	5	10	200	0,60
1301356	65	81	71	5	10	150	0,90
1301358	80	95	85	5	10	100	0,95
1301360	100	114	104	6	10	50	1,30

ART. 544Valvola a farfalla.
Butterfly valve.**NEW**

- R E -




Codice - Code	DN	D	G	A	H	Conf. - Pack		€ Cad. - € each
1301372	25	78	RD 52x1/6	66	39	1	10	66,60
1301373	32	86	RD 58x1/6	70	43	1	8	72,80
1301374	40	90	RD 65x1/6	74	45	1	6	75,50
1301375	50	106	RD 78x1/6	76	53	1	4	92,15
1301376	65	124	RD 95x1/6	80	62	1	4	113,00
1301378	80	139	RD 110x1/4	84	69,5	1	2	148,00
1301380	100	159	RD 130x1/4	104	79,5	1	2	188,00

VALVOLE A SFERA - AISI 316

VALVOLE A SFERA 2 PEZZI PASSAGGIO TOTALE AISI 316 / AISI 316 FULL PORT TWO PIECES BALL VALVE




- R E -



Questo modello di valvola è ideale per il controllo di olii, gas e liquidi corrosivi.

This ball valve can be used for oil, gas.

PRESSURE-TEMPERATURE RATING



Condizioni di impiego:

TEMPERATURA d'esercizio
Temperature da -10° a +150°C
from -10° to +150°C

PRESSIONE nominale massima
Max Pressure 1000 psi (70 bar); PN64

FILETTATURA ISO 7/1 (esterna conica - interna cilindrica)
Thread in accordance ISO 7/1

ART. 545

Valvola a sfera AISI 316.
AISI 316 ball valve.


Codice Code	Ø	Conf. - Pack Pkg	€ Cad. € each
1102806	1/4"	10 70	9,00
1102807	3/8"	10 70	10,00
1102808	1/2"	10 70	10,70
1102809	3/4"	10 40	14,90
1102810	1"	6 30	20,50
1102811	1 1/4"	4 16	31,20
1102812	1 1/2"	2 12	41,60
1102813	2"	1 6	67,00
1102814	2 1/2"	1 1	128,00
1102815	3"	1 2	196,00
1102817	4"	1 2	327,00

DESCRIZIONE					N	DESCRIZIONE	MATERIALE	QUANTITÀ
	A	B	C	D	1	Corpo / Body	316	1
¼"	9	40	42	75	2	Anello di sede / Seat	PTFE	2
3/8"	12,5	42,5	42	75	3	Leva / Handle	304	1
½"	15	50	48	85	4	Protezione leva / Handle cover	Plastico	1
¾"	20	56	51	100	5	Guarnizione / Gasket	PTFE	1
1"	25	68	61	105	6	Pressa treccia / Gland	304	1
1 ¼"	32	83	78	120	7	Rondella / Spring washer	304	1
1 ½"	38	90	82	120	8	Dado leva / Stem nut	304	1
2"	50	111	95	160	9	Stelo / Stem	304	1
2 ½"	65	138	115	200	10	Rondella di spinta / Thrust washer	PTFE	1
3"	76	156,5	123	200	11	Sfera / Ball	316	1
4"	94	197	157	260	12	Guarnizione / Joint gasket	PTFE	1
					13	Cappuccio / Cap	316	1

ART. 546

Valvola a sfera MF AISI 316 PN 64. Temperatura di esercizio da -10° C a 150° C.

MF AISI 316 ball valve PN 64 working temperature: 10°C to 150°C.




Codice - Code	Ø	A	B	C	D	Conf. - Pack		€ Cad. - € each
1103306	1/4"	9,00	57,00	46,00	100,00	10	50	11,00
1103307	3/8"	12,50	57,00	47,00	100,00	10	50	11,90
1103308	1/2"	15,00	68,00	48,00	100,00	10	30	13,40
1103309	3/4"	20,00	77,00	57,50	112,00	10	30	17,90
1103310	1"	25,00	90,60	61,00	112,00	5	20	26,20
1103311	1 1/4"	32,00	101,50	77,50	145,00	2	10	38,65
1103312	1 1/2"	38,00	113,00	82,00	145,00	2	8	52,00
1103313	2"	50,00	138,00	98,00	164,00	1	3	83,30

ART. 547

Valvola a sfera FF in 3 pezzi AISI 316 PN 64. Temperatura di esercizio da -10° C a 150° C.

3 pc. FF AISI 316 ball valve PN 64 working temperature: 10°C to 150°C.




Codice - Code	Ø	A	B	C	D	Conf. - Pack		€ Cad. - € each
1103458	1/2"	15,00	62,00	49,00	100,00	10	20	19,30
1103459	3/4"	20,00	69,00	60,00	112,00	10	20	25,00
1103460	1"	25,00	79,00	64,00	112,00	2	16	34,20
1103461	1 1/4"	32,00	96,00	80,00	145,00	1	8	56,50
1103462	1 1/2"	38,00	102,00	83,00	145,00	1	6	71,30
1103463	2"	50,00	124,00	97,00	165,00	1	4	100,20

ART. 548

Valvola a sfera a 3 vie a L PN 64 AISI 316. Temperatura di esercizio da -10° C a 150° C.

AISI 316 3 ways ball valve PN 64 working temperature: 10°C to 150°C.



Codice - Code	Ø	A	B	C	D	E	F	Conf. - Pack		€ Cad. - € each
1103408	1/2"	12,70	38,30	67,00	140,00	10,00	37,90	10	18	50,00
1103409	3/4"	16,00	43,10	72,00	140,00	10,00	43,60	2	8	60,30
1103410	1"	20,00	51,00	85,00	162,00	12,50	51,20	2	6	87,40
1103411	1 1/4"	25,00	58,20	89,00	162,00	13,80	58,20	1	5	112,50
1103412	1 1/2"	32,00	63,60	97,00	189,00	12,00	63,50	1	2	158,00
1103413	2"	38,00	74,20	106,00	189,00	14,80	74,20	1	1	232,00